

| Drill Hole | Including | Zone | From (m) | To (m) | Sample Length (m) | Grade (g/t Au) | Azimuth | Dip | Northing | Easting | Elevation | Depth |
|------------------|----------------------|----------|---------------|---------------|-------------------|----------------|------------|------------|----------------|---------------|--------------|------------|
| GL-20-035 | | 2 | 167.00 | 184.60 | 17.60 | 1.41 | 333 | -48 | 5528083 | 547830 | 413 | 201 |
| | <i>including</i> | | 177.10 | 183.63 | 6.53 | 2.33 | | | | | | |
| | <i>and including</i> | | 182.60 | 183.63 | 1.03 | 8.16 | | | | | | |
| GL-20-036 | | 3 | 89.00 | 90.00 | 1.00 | 1.22 | 332 | -52 | 5528129 | 547898 | 413 | 126 |
| GL-20-037 | | 6 | 43.00 | 44.00 | 1.00 | 6.74 | 330 | -52 | 5528166 | 547925 | 413.5 | 177 |
| GL-20-037 | | 3 | 82.00 | 92.00 | 10.00 | 2.23 | | | | | | |
| | <i>including</i> | | 86.00 | 92.00 | 6.00 | 2.99 | | | | | | |
| | <i>including</i> | | 87.50 | 88.80 | 1.30 | 6.86 | | | | | | |
| | <i>and including</i> | | 91.00 | 92.00 | 1.00 | 6.83 | | | | | | |
| GL-20-037 | | 3 | 110.00 | 114.00 | 4.00 | 4.19 | | | | | | |
| | <i>including</i> | | 110.00 | 111.00 | 1.00 | 15.90 | | | | | | |
| GL-20-037 | | 2 | 132.60 | 147.00 | 14.40 | 0.76 | | | | | | |
| | <i>including</i> | | 140.00 | 142.00 | 2.00 | 2.10 | | | | | | |
| GL-20-037 | | 2 | 170.50 | 172.00 | 1.50 | 12.20 | | | | | | |
| GL-20-038 | | 3 | 11.64 | 18.00 | 6.36 | 0.92 | 332 | -48 | 5528167 | 547840 | 414 | 125 |
| | <i>including</i> | | 17.44 | 18.00 | 0.56 | 5.91 | | | | | | |
| GL-20-038 | | 3 | 48.95 | 58.23 | 9.28 | 0.82 | | | | | | |
| | <i>including</i> | | 48.95 | 50.36 | 1.41 | 3.23 | | | | | | |
| GL-20-038 | | 2 | 67.00 | 83.00 | 16.00 | 1.42 | | | | | | |
| | <i>including</i> | | 77.00 | 78.00 | 1.00 | 11.90 | | | | | | |
| GL-20-038 | | 2 | 102.00 | 104.00 | 2.00 | 1.03 | | | | | | |
| GL-20-039 | | 3 | 86.09 | 88.00 | 1.91 | 0.76 | 338 | -48 | 5528147 | 547910 | 413 | 177 |
| GL-20-039 | | 2 | 130.33 | 132.00 | 1.67 | 2.57 | | | | | | |
| | <i>including</i> | | 130.33 | 131.00 | 0.67 | 4.86 | | | | | | |
| GL-20-039 | | 2 | 143.00 | 155.00 | 12.00 | 1.19 | | | | | | |
| | <i>including</i> | | 147.00 | 147.00 | 1.00 | 5.10 | | | | | | |
| GL-20-039 | | 2 | 172.77 | 177.00 | 4.23 | 0.50 | | | | | | |
| GL-20-040 | | 6 | 55.00 | 56.00 | 1.00 | 1.07 | 334 | -47 | 5528178 | 547942 | 414.5 | 180 |
| GL-20-040 | | 3 | 73.00 | 75.55 | 2.55 | 0.92 | | | | | | |
| GL-20-040 | | 2 | 119.50 | 140.00 | 20.50 | 0.42 | | | | | | |
| | <i>including</i> | | 137.90 | 139.00 | 1.10 | 1.55 | | | | | | |
| GL-20-040 | | 2 | 168.00 | 169.00 | 1.00 | 3.78 | | | | | | |
| GL-20-041 | | 6 | 36.90 | 39.50 | 2.60 | 4.39 | 337 | -47 | 5528095 | 547844 | 413 | 201 |
| | <i>including</i> | | 37.70 | 38.50 | 0.80 | 9.49 | | | | | | |
| GL-20-041 | | 2 | 173.00 | 180.60 | 7.60 | 2.40 | | | | | | |
| | <i>including</i> | | 179.00 | 179.95 | 0.95 | 5.32 | | | | | | |
| GL-20-042 | | 6 | 11.00 | 14.00 | 3.00 | 6.19 | 335 | -48 | 5528230 | 547984 | 414 | 175 |
| | <i>including</i> | | 12.00 | 13.00 | 1.00 | 13.80 | | | | | | |
| GL-20-042 | | 3 | 69.00 | 71.51 | 2.51 | 5.00 | | | | | | |
| | <i>including</i> | | 70.00 | 71.00 | 1.00 | 10.60 | | | | | | |
| GL-20-042 | | 2 | 126.00 | 141.00 | 15.00 | 0.44 | | | | | | |

Notes

Reported intervals are drilled core lengths and do not indicate true widths
All grades uncut, no capping.

| Drill Hole | Including | Zone | From (m) | To (m) | Sample Length (m) | Grade (g/t Au) | Azimuth | Dip | Northing | Easting | Elevation | Depth |
|------------------|----------------------|----------|---------------|---------------|-------------------|----------------|------------|------------|----------------|---------------|------------|------------|
| GL-20-043 | | 3 | 16.00 | 23.62 | 7.62 | 1.06 | 333 | -45 | 5528172 | 547858 | 414 | 126 |
| | <i>including</i> | | 22.11 | 23.62 | 1.51 | 4.08 | | | | | | |
| GL-20-043 | | 2 | 74.00 | 89.00 | 15.00 | 7.15 | | | | | | |
| | <i>including</i> | | 74.00 | 75.00 | 1.00 | 5.59 | | | | | | |
| | <i>including</i> | | 87.00 | 88.00 | 1.00 | 5.03 | | | | | | |
| | <i>and including</i> | | 88.00 | 89.00 | 1.00 | 83.70 | | | | | | |
| GL-20-044 | | 6 | 18.85 | 20.00 | 1.15 | 2.65 | 338 | -53 | 5528078 | 547803 | 413 | 210 |
| GL-20-044 | | 3 | 80.00 | 81.00 | 1.00 | 1.05 | | | | | | |
| GL-20-044 | | 3 | 97.00 | 104.39 | 7.39 | 0.38 | | | | | | |
| GL-20-044 | | 3 | 121.00 | 122.00 | 1.00 | 1.19 | | | | | | |
| GL-20-044 | | 2 | 172.00 | 178.00 | 6.00 | 0.76 | | | | | | |
| | <i>including</i> | 2 | 174.00 | 175.00 | 1.00 | 2.03 | | | | | | |
| GL-20-045 | | 3 | 104.60 | 107.85 | 3.25 | 6.58 | 359 | -46 | 5528100 | 547857 | 412 | 141 |
| | <i>including</i> | | 106.75 | 107.85 | 1.10 | 14.50 | | | | | | |
| GL-20-046 | | 3 | 1.30 | 39.00 | 37.70 | 1.18 | 158 | -48 | 5528174 | 547790 | 416 | 165 |
| | <i>including</i> | | 14.00 | 15.00 | 1.00 | 12.70 | | | | | | |
| | | | 35.07 | 35.95 | 0.88 | 26.50 | | | | | | |
| GL-20-046 | | 3 | 68.34 | 73.00 | 4.66 | 0.45 | | | | | | |
| GL-20-046 | | 6 | 135.00 | 148.00 | 13.00 | 0.51 | | | | | | |
| GL-20-047 | | 3 | 15.00 | 17.69 | 2.69 | 0.62 | 157 | -47 | 5528249 | 547890 | 409 | 165 |
| | <i>including</i> | | 16.27 | 17.00 | 0.73 | 1.86 | | | | | | |
| GL-20-047 | | 6 | 140.00 | 150.00 | 10.00 | 0.53 | | | | | | |
| | <i>including</i> | | 140.00 | 141.00 | 1.00 | 4.43 | | | | | | |
| GL-20-048 | | 3 | 24.00 | 30.00 | 6.00 | 0.49 | 152 | -48 | 5528264 | 547909 | 408 | 177 |
| GL-20-048 | | 3 | 52.00 | 55.18 | 3.18 | 4.50 | | | | | | |
| | <i>including</i> | | 54.20 | 55.18 | 0.98 | 11.30 | | | | | | |
| GL-20-048 | | 6 | 85.00 | 96.00 | 11.00 | 0.33 | | | | | | |
| | <i>including</i> | | 95.00 | 96.00 | 1.00 | 1.90 | | | | | | |
| GL-20-048 | | 6 | 145.69 | 149.00 | 3.31 | 0.44 | | | | | | |
| GL-20-049 | | 2 | 3.00 | 6.00 | 3.00 | 3.29 | 154 | -45 | 5528243 | 547869 | 410 | 198 |
| | <i>including</i> | | 3.00 | 4.00 | 1.00 | 9.06 | | | | | | |
| GL-20-049 | | 3 | 56.00 | 65.50 | 9.50 | 5.15 | | | | | | |
| | <i>including</i> | | 56.00 | 57.00 | 1.00 | 19.90 | | | | | | |
| | <i>and including</i> | | 64.90 | 65.50 | 0.60 | 33.90 | | | | | | |
| GL-20-049 | | 6 | 162.00 | 172.00 | 10.00 | 0.52 | | | | | | |
| | <i>including</i> | | 171.00 | 172.00 | 1.00 | 3.44 | | | | | | |
| GL-20-050 | | 3 | 23.00 | 26.00 | 3.00 | 0.64 | 324 | -46 | 5528271 | 547967 | 410 | 126 |
| GL-20-050 | | 2 | 75.00 | 103.00 | 28.00 | 0.67 | | | | | | |
| | <i>including</i> | | 85.00 | 87.00 | 2.00 | 4.10 | | | | | | |
| | <i>and including</i> | | 100.00 | 101.00 | 1.00 | 4.83 | | | | | | |

Notes

Reported intervals are drilled core lengths and do not indicate true widths
All grades uncut, no capping.

| Drill Hole | Including | Zone | From (m) | To (m) | Sample Length (m) | Grade (g/t Au) | Azimuth | Dip | Northing | Easting | Elevation | Depth |
|------------|----------------------|------|----------|--------|-------------------|----------------|---------|-----|----------|---------|-----------|-------|
| GL-20-051 | | 2 | 2.32 | 10.00 | 7.68 | 1.72 | 334 | -45 | 5528298 | 547946 | 408 | 87 |
| | <i>including</i> | | 8.00 | 10.00 | 2.00 | 6.22 | | | | | | |
| GL-20-051 | | 2 | 18.00 | 30.00 | 12.00 | 0.61 | | | | | | |
| | <i>including</i> | | 29.00 | 30.00 | 1.00 | 3.85 | | | | | | |
| GL-20-051 | | 2 | 46.00 | 56.00 | 10.00 | 1.21 | | | | | | |
| | <i>including</i> | | 49.00 | 50.00 | 1.00 | 6.87 | | | | | | |
| GL-20-051 | | 2 | 67.00 | 73.00 | 6.00 | 0.65 | | | | | | |
| GL-21-001 | | 2 | 20.00 | 32.00 | 12.00 | 1.00 | 150 | -46 | 5528367 | 547942 | 405 | 261 |
| GL-21-001 | | 2 | 39.00 | 48.00 | 9.00 | 0.78 | | | | | | |
| GL-21-001 | | 3 | 140.60 | 141.30 | 0.70 | 1.64 | | | | | | |
| GL-21-001 | | 6 | 170.75 | 173.25 | 2.50 | 1.46 | | | | | | |
| GL-21-002 | | 2 | 55.00 | 85.00 | 30.00 | 0.67 | 155 | -47 | 5528321 | 547886 | 404 | 165 |
| | <i>including</i> | | 55.00 | 57.00 | 2.00 | 2.80 | | | | | | |
| | <i>and including</i> | | 69.00 | 79.00 | 10.00 | 1.19 | | | | | | |
| GL-21-002 | | 3 | 151.00 | 153.00 | 2.00 | 1.40 | | | | | | |
| GL-21-003 | | 2 | 26.40 | 44.00 | 17.60 | 0.45 | 336 | -47 | 5528337 | 547980 | 405 | 66 |
| GL-21-003 | | 2 | 37.00 | 44.00 | 7.00 | 0.72 | | | | | | |
| GL-21-003 | | 2 | 55.06 | 58.50 | 3.44 | 2.57 | | | | | | |
| GL-21-004 | | 3 | 40.00 | 41.00 | 1.00 | 2.23 | 145 | -45 | 5528317 | 547973 | 406 | 150 |
| GL-21-004 | | 6 | 73.25 | 74.85 | 1.60 | 0.87 | | | | | | |
| GL-21-005 | | 3 | 15.90 | 36.00 | 20.10 | 1.34 | 333 | -50 | 5528302 | 548003 | 408 | 123 |
| | <i>including</i> | | 15.90 | 23.00 | 7.10 | 3.09 | | | | | | |
| | <i>including</i> | | 15.90 | 16.90 | 1.00 | 16.70 | | | | | | |
| | <i>and including</i> | | 30.70 | 36.00 | 5.30 | 0.80 | | | | | | |
| GL-21-005 | | 2 | 106.10 | 123.00 | 16.90 | 0.48 | | | | | | |
| | <i>including</i> | | 106.10 | 109.40 | 3.30 | 1.46 | | | | | | |
| GL-21-006 | | 3 | 42.50 | 44.50 | 2.00 | 0.78 | 335 | -45 | 5528311 | 548038 | 407 | 180 |
| GL-21-007 | | 3 | 12.00 | 17.00 | 5.00 | 0.66 | 158 | -50 | 5528140 | 547701 | 419 | 201 |
| | <i>including</i> | | 16.00 | 17.00 | 1.00 | 2.65 | | | | | | |
| GL-21-007 | | 6 | 145.20 | 146.20 | 1.00 | 1.08 | | | | | | |
| GL-21-007 | | 6 | 172.20 | 173.20 | 1.00 | 1.08 | | | | | | |
| GL-21-008 | | 3 | 15.00 | 17.00 | 2.00 | 0.58 | 330 | -60 | 5528078 | 547678 | 425 | 150 |
| GL-21-008 | | 2 | 77.50 | 82.70 | 5.20 | 0.39 | | | | | | |
| GL-21-008 | | 2 | 100.70 | 105.20 | 4.50 | 0.79 | | | | | | |
| GL-21-009 | | 2 | 96.40 | 98.40 | 2.00 | 0.88 | 325 | -60 | 5528050 | 547625 | 428 | 150 |
| GL-21-009 | | 2 | 108.00 | 108.70 | 0.70 | 1.65 | | | | | | |
| GL-21-010 | | 3 | 15.10 | 24.30 | 9.20 | 0.62 | 160 | -60 | 5528155 | 547754 | 419 | 216 |
| | <i>including</i> | | 23.30 | 24.30 | 1.00 | 1.90 | | | | | | |
| GL-21-010 | | 3 | 79.30 | 88.30 | 9.00 | 0.63 | | | | | | |
| | <i>including</i> | | 79.30 | 80.30 | 1.00 | 3.66 | | | | | | |
| GL-21-011 | | 2 | 130.10 | 135.00 | 4.90 | 0.66 | 330 | -60 | 5528339 | 548079 | 407 | 192 |

Notes

Reported intervals are drilled core lengths and do not indicate true widths
All grades uncut, no capping.

| Drill Hole | Including | Zone | From (m) | To (m) | Sample Length (m) | Grade (g/t Au) | Azimuth | Dip | Northing | Easting | Elevation | Depth |
|------------|----------------------|------|----------|--------|-------------------|----------------|---------|-----|----------|---------|-----------|-------|
| GL-21-012 | | 2 | 110.00 | 112.00 | 2.00 | 0.61 | 328 | -45 | 5528364 | 548118 | 405 | 162 |
| GL-21-012 | | 2 | 142.20 | 143.20 | 1.00 | 1.04 | | | | | | |
| GL-21-013 | | 2 | 33.00 | 41.00 | 8.00 | 0.52 | 151 | -45 | 5528407 | 547975 | 404 | 201 |
| | <i>including</i> | | 39.00 | 40.00 | 1.00 | 2.54 | | | | | | |
| GL-21-013 | | 2 | 88.10 | 101.10 | 13.00 | 1.23 | | | | | | |
| | <i>including</i> | | 96.10 | 97.10 | 1.00 | 3.98 | | | | | | |
| GL-21-013 | | 3 | 180.30 | 181.30 | 1.00 | 3.12 | | | | | | |
| GL-21-014 | | 3 | 45.15 | 46.20 | 1.05 | 0.51 | 330 | -45 | 5528410 | 548188 | 406 | 150 |
| GL-21-015 | | 3 | 65.00 | 70.00 | 5.00 | 1.55 | 330 | -45 | 5528462 | 548252 | 406 | 150 |
| | <i>including</i> | | 69.00 | 70.00 | 1.00 | 6.51 | | | | | | |
| GL-21-015 | | 2 | 87.10 | 88.10 | 1.00 | 9.45 | | | | | | |
| GL-21-016 | | 3 | 50.10 | 55.10 | 5.00 | 0.64 | 330 | -45 | 5528490 | 548325 | 407 | 162 |
| | <i>including</i> | | 54.10 | 55.10 | 1.00 | 1.94 | | | | | | |
| GL-21-017 | | 6 | 38.90 | 49.00 | 10.10 | 0.40 | 330 | -45 | 5528518 | 548405 | 407 | 180 |
| GL-21-017 | | 3 | 74.00 | 75.75 | 1.75 | 1.20 | | | | | | |
| GL-21-017 | | 2 | 140.00 | 141.00 | 1.00 | 1.69 | | | | | | |
| GL-21-018 | | 3 | 108.00 | 109.00 | 1.00 | 1.05 | 332 | -45 | 5528560 | 548475 | 407 | 177 |
| GL-21-019 | | 3 | 91.45 | 95.00 | 3.55 | 0.46 | 330 | -47 | 5528600 | 548550 | 407 | 201 |
| GL-21-019 | | 2 | 180.00 | 181.00 | 1.00 | 1.02 | | | | | | |
| GL-21-020 | | 4 | 49.00 | 52.76 | 3.76 | 4.49 | 157 | -44 | 5527630 | 546915 | 416 | 210 |
| | <i>including</i> | | 49.00 | 50.00 | 1.00 | 16.00 | | | | | | |
| GL-21-020 | | 4 | 82.00 | 91.00 | 9.00 | 1.62 | | | | | | |
| | <i>including</i> | | 85.00 | 86.00 | 1.00 | 8.16 | | | | | | |
| GL-21-020 | | 4 | 108.61 | 118.00 | 9.39 | 1.08 | | | | | | |
| GL-21-021 | | 4 | 19.00 | 45.80 | 26.80 | 0.75 | 161 | -44 | 5527636 | 546956 | 417 | 186 |
| | <i>including</i> | | 19.00 | 22.20 | 3.20 | 4.12 | | | | | | |
| GL-21-021 | | 4 | 87.10 | 107.10 | 20.00 | 0.95 | | | | | | |
| | <i>including</i> | | 98.10 | 103.10 | 5.00 | 2.11 | | | | | | |
| | <i>and including</i> | | 102.10 | 103.10 | 1.00 | 7.09 | | | | | | |
| GL-21-022 | | 4 | 8.00 | 87.70 | 79.70 | 0.34 | 145 | -44 | 5527647 | 546996 | 421 | 186 |
| | <i>including</i> | | 8.00 | 14.00 | 6.00 | 0.78 | | | | | | |
| | <i>including</i> | | 31.50 | 44.10 | 12.60 | 0.74 | | | | | | |
| | <i>and including</i> | | 76.00 | 84.70 | 8.70 | 0.62 | | | | | | |
| GL-21-023 | | 4 | 10.00 | 16.28 | 6.28 | 0.48 | 150 | -44 | 5527658 | 547030 | 423 | 171 |
| GL-21-023 | | 4 | 61.50 | 93.29 | 31.79 | 0.38 | | | | | | |
| GL-21-024 | | 8 | 32.00 | 40.00 | 8.00 | 1.35 | 330 | -44 | 5527533 | 546978 | 407 | 132 |
| | <i>including</i> | | 35.00 | 36.00 | 1.00 | 5.92 | | | | | | |
| GL-21-024 | | 4 | 74.20 | 76.20 | 2.00 | 2.30 | | | | | | |
| | <i>including</i> | | 75.20 | 76.20 | 1.00 | 4.15 | | | | | | |
| GL-21-024 | | 4 | 92.00 | 94.90 | 2.90 | 1.13 | | | | | | |
| | <i>including</i> | | 94.30 | 94.90 | 0.60 | 4.64 | | | | | | |

Notes

Reported intervals are drilled core lengths and do not indicate true widths

All grades uncut, no capping.

| Drill Hole | Including | Zone | From (m) | To (m) | Sample Length (m) | Grade (g/t Au) | Azimuth | Dip | Northing | Easting | Elevation | Depth |
|------------|----------------------|------|----------|--------|-------------------|----------------|---------|-----|----------|---------|-----------|-------|
| GL-21-025 | | 4 | 62.50 | 78.70 | 16.20 | 0.81 | 324 | -45 | 5527540 | 547015 | 407 | 222 |
| | <i>including</i> | | 62.50 | 64.50 | 2.00 | 2.70 | | | | | | |
| | <i>and including</i> | | 76.20 | 76.70 | 0.50 | 5.62 | | | | | | |
| GL-21-025 | | 4 | 101.90 | 106.71 | 4.81 | 1.57 | | | | | | |
| | <i>including</i> | | 105.71 | 106.71 | 1.00 | 4.06 | | | | | | |
| GL-21-025 | | 4 | 119.00 | 125.60 | 6.60 | 0.44 | | | | | | |
| GL-21-025 | | 6 | 173.00 | 190.00 | 17.00 | 0.70 | | | | | | |
| | <i>including</i> | | 176.80 | 184.00 | 7.20 | 1.24 | | | | | | |
| GL-21-026 | | 4 | 80.60 | 85.50 | 4.90 | 0.64 | 335 | -44 | 5527600 | 547169 | 405 | 132 |
| GL-21-027 | | 4 | 44.10 | 49.60 | 5.50 | 1.33 | 323 | -43 | 5527636 | 547195 | 412 | 117 |
| | <i>including</i> | | 44.10 | 45.25 | 1.15 | 3.22 | | | | | | |
| GL-21-027 | | 4 | 66.75 | 69.85 | 3.10 | 1.29 | | | | | | |
| | <i>including</i> | | 66.75 | 67.95 | 1.20 | 2.79 | | | | | | |
| GL-21-028 | | 4 | 8.00 | 66.00 | 58.00 | 0.89 | 158 | -58 | 5527654 | 547014 | 422 | 141 |
| | <i>including</i> | | 8.00 | 26.50 | 18.50 | 2.01 | | | | | | |
| | <i>including</i> | | 10.00 | 11.00 | 1.00 | 22.40 | | | | | | |
| | <i>and including</i> | | 22.00 | 23.50 | 1.50 | 5.06 | | | | | | |
| GL-21-028 | | 4 | 96.50 | 118.00 | 21.50 | 3.14 | | | | | | |
| | <i>including</i> | | 98.60 | 99.60 | 1.00 | 55.70 | | | | | | |
| GL-21-029 | | 4 | 31.00 | 36.00 | 5.00 | 2.95 | 152 | -65 | 5527668 | 547048 | 427 | 177 |
| | <i>including</i> | | 31.00 | 32.00 | 1.00 | 8.78 | | | | | | |
| | <i>and including</i> | | 35.00 | 36.00 | 1.00 | 5.70 | | | | | | |
| GL-21-029 | | 4 | 87.10 | 92.10 | 5.00 | 0.62 | | | | | | |
| GL-21-029 | | 4 | 109.40 | 124.10 | 14.70 | 0.46 | | | | | | |
| GL-21-030 | | 4 | 61.80 | 65.00 | 3.20 | 0.55 | 155 | -45 | 5527697 | 547060 | 425 | 201 |
| GL-21-030 | | 4 | 77.70 | 79.70 | 2.00 | 1.40 | | | | | | |
| GL-21-030 | | 4 | 93.20 | 134.00 | 40.80 | 0.46 | | | | | | |
| | <i>including</i> | | 93.20 | 94.20 | 1.00 | 3.59 | | | | | | |
| | <i>including</i> | | 114.60 | 119.60 | 5.00 | 1.06 | | | | | | |
| | <i>and including</i> | | 130.00 | 134.00 | 4.00 | 0.95 | | | | | | |
| GL-21-031 | | 4 | 29.00 | 34.00 | 5.00 | 1.45 | 125 | -60 | 5527681 | 547078 | 427 | 156 |
| | <i>including</i> | | 31.00 | 32.00 | 1.00 | 6.33 | | | | | | |
| GL-21-031 | | 4 | 47.25 | 55.00 | 7.75 | 6.36 | | | | | | |
| | <i>including</i> | | 49.10 | 50.00 | 0.90 | 51.70 | | | | | | |
| GL-21-031 | | 4 | 97.00 | 107.75 | 10.75 | 0.84 | | | | | | |
| | <i>including</i> | | 97.00 | 98.00 | 1.00 | 5.82 | | | | | | |
| GL-21-031 | | 4 | 127.61 | 128.75 | 1.14 | 2.80 | | | | | | |
| GL-21-031 | | 4 | 142.95 | 144.00 | 1.05 | 2.77 | | | | | | |
| GL-21-032 | | 8 | 38.50 | 41.10 | 2.60 | 0.49 | 155 | -46 | 5527684 | 547109 | 424 | 156 |
| GL-21-032 | | 4 | 65.53 | 77.00 | 11.47 | 0.93 | | | | | | |
| | <i>including</i> | | 76.22 | 77.00 | 0.78 | 5.19 | | | | | | |

Notes

Reported intervals are drilled core lengths and do not indicate true widths

All grades uncut, no capping.

| Drill Hole | Including | Zone | From (m) | To (m) | Sample Length (m) | Grade (g/t Au) | Azimuth | Dip | Northing | Easting | Elevation | Depth | |
|------------|----------------------|------------------------|----------|--------|-------------------|----------------|---------|-----|----------|---------|-----------|-------|-----|
| GL-21-033 | | 4 | 93.30 | 96.30 | 3.00 | 2.37 | 158 | -56 | 5527698 | 547153 | 421 | 177 | |
| | <i>including</i> | | 95.30 | 96.30 | 1.00 | 6.19 | | | | | | | |
| GL-21-033 | | 4 | 125.00 | 126.00 | 1.00 | 4.98 | | | | | | | |
| GL-21-034 | | 4 | 77.05 | 93.15 | 16.10 | 0.99 | 155 | -45 | 5527714 | 547184 | 420 | 147 | |
| | | | 89.50 | 90.30 | 0.80 | 10.00 | | | | | | | |
| GL-21-035 | | 4 | 46.75 | 86.80 | 40.05 | 0.89 | 155 | -45 | 5527729 | 547213 | 420 | 150 | |
| | <i>including</i> | | 46.75 | 47.85 | 1.10 | 6.28 | | | | | | | |
| | <i>including</i> | | 72.45 | 73.40 | 0.95 | 13.10 | | | | | | | |
| | <i>and including</i> | | 79.39 | 80.18 | 0.79 | 10.00 | | | | | | | |
| GL-21-036 | | 4 | 83.80 | 87.53 | 3.73 | 1.61 | 149 | -44 | 5527760 | 547272 | 420 | 135 | |
| | <i>including</i> | | 83.80 | 84.75 | 0.95 | 3.73 | | | | | | | |
| GL-21-037 | | 4 | 68.20 | 71.20 | 3.00 | 0.60 | 148 | -50 | 5527778 | 547308 | 417 | 162 | |
| GL-21-037 | | 4 | 96.50 | 100.40 | 3.90 | 2.73 | | | | | | | |
| | <i>including</i> | | 96.50 | 97.50 | 1.00 | 4.55 | | | | | | | |
| | <i>and including</i> | | 98.50 | 99.40 | 0.90 | 5.81 | | | | | | | |
| GL-21-038 | | 4 | 61.10 | 62.00 | 0.90 | 2.82 | 153 | -50 | 5527791 | 547346 | 417 | 192 | |
| GL-21-038 | | 4 | 87.88 | 93.33 | 5.45 | 0.74 | | | | | | | |
| GL-21-039 | | 4 | 63.20 | 72.10 | 8.90 | 1.16 | 340 | -45 | 5527705 | 547405 | 413 | 126 | |
| | <i>including</i> | | 69.90 | 72.10 | 2.20 | 4.15 | | | | | | | |
| GL-21-040 | | No Significant Results | | | | | | 333 | -45 | 5527695 | 547361 | 412 | 126 |
| GL-21-041 | | 8 | 40.30 | 45.51 | 5.21 | 0.82 | 337 | -45 | 5527684 | 547327 | 414 | 117 | |
| GL-21-042 | | 4 | 52.60 | 54.60 | 2.00 | 4.86 | 334 | -55 | 5527660 | 547272 | 414 | 141 | |
| | <i>including</i> | | 53.60 | 54.60 | 1.00 | 9.36 | | | | | | | |
| GL-21-042 | | 4 | 70.80 | 80.80 | 10.00 | 0.66 | | | | | | | |
| | <i>including</i> | | 79.80 | 80.80 | 1.00 | 2.87 | | | | | | | |
| GL-21-042 | | 4 | 115.70 | 122.70 | 7.00 | 1.69 | | | | | | | |
| | <i>including</i> | | 115.70 | 116.70 | 1.00 | 6.39 | | | | | | | |
| GL-21-043 | | 4 | 27.00 | 42.30 | 15.30 | 0.37 | 333 | -45 | 5527645 | 547235 | 414 | 117 | |
| | | | 31.60 | 32.60 | 1.00 | 2.07 | | | | | | | |
| GL-21-044 | | 4 | 36.00 | 68.00 | 32.00 | 0.76 | 145 | -45 | 5527845 | 547505 | 427 | 237 | |
| | <i>including</i> | | 42.30 | 43.40 | 1.10 | 3.81 | | | | | | | |
| | <i>including</i> | | 46.70 | 47.80 | 1.10 | 5.48 | | | | | | | |
| | <i>and including</i> | | 67.00 | 68.00 | 1.00 | 6.28 | | | | | | | |
| GL-21-044 | | 1 | 147.00 | 160.00 | 13.00 | 0.58 | | | | | | | |
| | <i>including</i> | | 151.00 | 152.00 | 1.00 | 2.62 | | | | | | | |
| GL-21-045 | | 4 | 54.30 | 67.50 | 13.20 | 0.30 | 160 | -45 | 5527875 | 547560 | 430 | 240 | |
| GL-21-045 | | 8 | 137.60 | 148.60 | 11.00 | 1.02 | | | | | | | |
| | <i>including</i> | | 147.60 | 148.60 | 1.00 | 4.90 | | | | | | | |
| GL-21-046 | | 4 | 29.00 | 31.00 | 2.00 | 4.26 | 150 | -47 | 5527823 | 547462 | 423 | 276 | |
| | <i>including</i> | | 29.00 | 30.00 | 1.00 | 7.01 | | | | | | | |
| GL-21-046 | | 4 | 47.00 | 52.80 | 5.80 | 3.53 | | | | | | | |

Notes

Reported intervals are drilled core lengths and do not indicate true widths
All grades uncut, no capping.

| Drill Hole | Including | Zone | From (m) | To (m) | Sample Length (m) | Grade (g/t Au) | Azimuth | Dip | Northing | Easting | Elevation | Depth | |
|------------------|----------------------|-------------------------------|---------------|---------------|-------------------|----------------|------------|------------|----------------|----------------|---------------|--------------|------------|
| | <i>including</i> | | 50.00 | 51.40 | 1.40 | 9.57 | | | | | | | |
| | <i>and including</i> | | 52.00 | 52.80 | 0.80 | 3.41 | | | | | | | |
| GL-21-046 | | 1 | 148.00 | 169.00 | 21.00 | 0.31 | | | | | | | |
| | <i>including</i> | | 165.90 | 166.60 | 0.70 | 2.10 | | | | | | | |
| GL-21-047 | | 4 | 50.10 | 71.50 | 21.40 | 0.83 | 143 | -50 | 5527804 | 547419 | 421 | 150 | |
| | <i>including</i> | | 65.40 | 67.90 | 2.50 | 2.55 | | | | | | | |
| GL-21-048 | | 4 | 128.00 | 129.00 | 1.00 | 21.50 | 150 | -45 | 5527605 | 546800 | 413 | 261 | |
| GL-21-048 | | 8 | 161.90 | 167.80 | 5.90 | 2.45 | | | | | | | |
| | <i>including</i> | | 161.90 | 164.00 | 2.10 | 6.30 | | | | | | | |
| GL-21-049 | | 6 | 39.00 | 43.00 | 4.00 | 1.91 | 125 | -45 | 5527610 | 546810 | 415 | 274.5 | |
| | <i>including</i> | | 40.00 | 41.00 | 1.00 | 3.92 | | | | | | | |
| GL-21-049 | | 4 | 72.40 | 80.00 | 7.60 | 0.34 | | | | | | | |
| GL-21-049 | | 4 | 108.80 | 118.00 | 9.20 | 0.52 | | | | | | | |
| GL-21-049 | | 4 | 126.40 | 138.20 | 11.80 | 1.12 | | | | | | | |
| | <i>including</i> | | 128.20 | 129.00 | 0.80 | 6.39 | | | | | | | |
| | <i>and including</i> | | 135.70 | 136.40 | 0.70 | 2.85 | | | | | | | |
| GL-21-049 | | 4 | 159.00 | 176.30 | 17.30 | 0.89 | | | | | | | |
| | <i>including</i> | | 165.00 | 166.00 | 1.00 | 7.06 | | | | | | | |
| GL-21-050 | | 6 | 6.00 | 6.70 | 0.70 | 27.70 | 130 | -46 | 5527559 | 546704 | 420 | 276 | |
| GL-21-050 | | 4 | 68.00 | 94.00 | 26.00 | 2.94 | | | | | | | |
| | <i>including</i> | | 72.00 | 73.00 | 1.00 | 63.50 | | | | | | | |
| | <i>and including</i> | | 93.00 | 94.00 | 1.00 | 8.08 | | | | | | | |
| GL-21-051 | | 6 | 14.00 | 22.00 | 8.00 | 1.27 | 145 | -45 | 5527530 | 546575 | 409 | 195 | |
| | <i>including</i> | | 14.00 | 15.00 | 1.00 | 2.14 | | | | | | | |
| | <i>and including</i> | | 21.00 | 22.00 | 1.00 | 7.90 | | | | | | | |
| GL-21-051 | | 4 | 109.69 | 121.95 | 12.26 | 0.41 | | | | | | | |
| | <i>including</i> | | 117.88 | 118.27 | 0.39 | 8.33 | | | | | | | |
| GL-21-052 | | 5 | 137.00 | 150.00 | 13.00 | 1.05 | 120 | -60 | 5527458 | 547084 | 412 | 150 | |
| GL-21-053 | | No Significant Results | | | | | | 10 | -60 | 5527511 | 547009 | 407 | 150 |
| GL-21-054 | | No Significant Results | | | | | | 300 | -60 | 5528197 | 547816 | 415 | 102 |
| GL-21-055 | | 3 | 12.00 | 12.60 | 0.60 | 8.85 | 180 | -60 | 5528197 | 547816 | 415 | 102 | |
| GL-21-055 | | 3 | 25.25 | 25.75 | 0.50 | 22.80 | | | | | | | |
| G1-21-055 | | 3 | 31.00 | 36.00 | 5.00 | 1.76 | | | | | | | |
| GL-21-055 | | 3 | 60.30 | 67.00 | 6.70 | 0.90 | | | | | | | |
| GL-21-055 | | 3 | 70.00 | 71.00 | 1.00 | 18.30 | | | | | | | |
| GL-21-056 | | No Significant Results | | | | | | 330 | -60 | 5527245 | 545622 | 390 | 102 |
| GL-21-057 | | 7 | 55.00 | 56.00 | 1.00 | 7.02 | | | | | | | |
| GL-21-057 | | 7 | 61.00 | 63.00 | 2.00 | 3.71 | | | | | | | |
| | <i>including</i> | | 62.00 | 63.00 | 1.00 | 6.30 | | | | | | | |
| GL-21-058 | | 1 | 103.60 | 129.50 | 25.90 | 5.48 | 155 | -47 | 5527340 | 546580 | 402 | 180 | |
| | <i>including</i> | | 104.60 | 105.60 | 1.00 | 76.80 | | | | | | | |

Notes

Reported intervals are drilled core lengths and do not indicate true widths
All grades uncut, no capping.

| Drill Hole | Including | Zone | From (m) | To (m) | Sample Length (m) | Grade (g/t Au) | Azimuth | Dip | Northing | Easting | Elevation | Depth |
|------------------|----------------------|----------|---------------|---------------|-------------------|----------------|------------|------------|----------------|---------------|--------------|------------|
| | <i>including</i> | | 109.60 | 111.50 | 1.90 | 14.95 | | | | | | |
| | <i>including</i> | | 116.50 | 117.50 | 1.00 | 5.26 | | | | | | |
| | <i>and including</i> | | 123.50 | 128.50 | 5.00 | 2.95 | | | | | | |
| GL-21-059 | | 1 | 6.00 | 39.70 | 33.70 | 1.67 | 155 | -45 | 5527325 | 546660 | 403 | 111 |
| | <i>including</i> | | 35.30 | 36.40 | 1.10 | 12.10 | | | | | | |
| GL-21-059 | | 1 | 64.00 | 70.00 | 6.00 | 0.93 | | | | | | |
| GL-21-060 | | 1 | 119.00 | 120.00 | 1.00 | 2.26 | 355 | -68 | 5527195 | 546535 | 404 | 177 |
| GL-21-060 | | 1 | 131.10 | 134.00 | 2.90 | 3.08 | | | | | | |
| | <i>including</i> | | 131.10 | 132.00 | 0.90 | 5.89 | | | | | | |
| GL-21-061 | | 1 | 133.00 | 147.00 | 14.00 | 2.83 | 330 | -64 | 5527248 | 546765 | 404 | 162 |
| | <i>including</i> | | 133.00 | 137.00 | 4.00 | 6.35 | | | | | | |
| | <i>including</i> | | 133.00 | 134.00 | 1.00 | 12.30 | | | | | | |
| | <i>including</i> | | 135.00 | 136.00 | 1.00 | 6.14 | | | | | | |
| | <i>including</i> | | 139.00 | 140.00 | 1.00 | 5.58 | | | | | | |
| | <i>and including</i> | | 145.00 | 146.00 | 1.00 | 4.77 | | | | | | |
| GL-21-062 | | 8 | 8.00 | 15.50 | 7.50 | 1.01 | 330 | -45 | 5527380 | 546710 | 407 | 201 |
| | <i>including</i> | | 9.70 | 10.50 | 0.80 | 2.77 | | | | | | |
| GL-21-062 | | 4 | 129.00 | 132.00 | 3.00 | 0.54 | | | | | | |
| GL-21-063 | | 8 | 20.10 | 32.00 | 11.90 | 0.31 | 137 | -45 | 5527522 | 546437 | 403 | 375 |
| | <i>including</i> | | 20.10 | 21.10 | 1.00 | 1.77 | | | | | | |
| GL-21-063 | | 4 | 185.30 | 187.40 | 2.10 | 1.37 | | | | | | |
| GL-21-064 | | 5 | 47.40 | 61.00 | 13.60 | 0.51 | 130 | -50 | 5527534 | 547275 | 409 | 153 |
| | <i>including</i> | | 59.00 | 61.00 | 2.00 | 1.99 | | | | | | |
| GL-21-065 | | 5 | 38.50 | 58.80 | 20.30 | 1.10 | 130 | -50 | 5527515 | 547240 | 408.5 | 150 |
| | <i>including</i> | | 55.00 | 58.80 | 3.80 | 4.50 | | | | | | |
| | <i>including</i> | | 56.00 | 56.90 | 0.90 | 13.90 | | | | | | |
| | <i>and including</i> | | 57.80 | 58.80 | 1.00 | 3.32 | | | | | | |
| GL-21-066 | | 5 | 53.50 | 58.50 | 5.00 | 6.79 | 135 | -50 | 5527502 | 547210 | 408 | 150 |
| | <i>including</i> | | 53.50 | 54.50 | 1.00 | 5.45 | | | | | | |
| | <i>including</i> | | 54.50 | 55.50 | 1.00 | 21.00 | | | | | | |
| | <i>and including</i> | | 57.50 | 58.50 | 1.00 | 4.20 | | | | | | |
| GL-21-067 | | 5 | 43.00 | 77.00 | 34.00 | 0.41 | 125 | -50 | 5527570 | 547340 | 410 | 201 |
| | <i>including</i> | | 73.00 | 74.00 | 1.00 | 3.21 | | | | | | |
| GL-21-067 | | 5 | 92.00 | 99.80 | 7.80 | 0.83 | | | | | | |
| | <i>including</i> | | 95.00 | 96.00 | 1.00 | 1.66 | | | | | | |
| GL-21-068 | | 5 | 50.00 | 60.60 | 10.60 | 0.63 | 115 | -55 | 5527570 | 547340 | 410 | 252 |
| GL-21-068 | | 5 | 86.00 | 92.50 | 6.50 | 0.91 | | | | | | |
| GL-21-068 | | 5 | 97.10 | 98.00 | 0.90 | 2.80 | | | | | | |
| GL-21-068 | | 5 | 101.00 | 102.10 | 1.10 | 11.80 | | | | | | |
| GL-21-069 | | 5 | 39.00 | 44.00 | 5.00 | 0.46 | 145 | -50 | 5527625 | 547450 | 412 | 225 |
| GL-21-070 | | 3 | 202.80 | 206.00 | 3.20 | 1.68 | 150 | -45 | 5528097 | 547415 | 410 | 330 |

Notes

Reported intervals are drilled core lengths and do not indicate true widths

All grades uncut, no capping.

| Drill Hole | Including | Zone | From (m) | To (m) | Sample Length (m) | Grade (g/t Au) | Azimuth | Dip | Northing | Easting | Elevation | Depth |
|-------------------|----------------------|-------------------------------|---------------|---------------|-------------------|----------------|------------|------------|----------------|---------------|--------------|--------------|
| | <i>including</i> | | 204.00 | 204.60 | 0.60 | 4.80 | | | | | | |
| GL-21-070 | | 6 | 297.00 | 298.00 | 1.00 | 11.10 | | | | | | |
| GL-21-071 | | 3 | 176.50 | 181.20 | 4.70 | 0.58 | 135 | -45 | 5528048 | 547325 | 407.4 | 327 |
| GL-21-072 | | 3 | 201.00 | 202.00 | 1.00 | 2.15 | 135 | -45 | 5528047 | 547227 | 405 | 402 |
| GL-21-072 | | 3 | 308.00 | 309.00 | 1.00 | 2.09 | | | | | | |
| GL-21-073 | | 6 | 22.50 | 28.00 | 5.50 | 66.56 | 305 | -45 | 5527525 | 546542 | 405 | 210 |
| | <i>including</i> | | 22.50 | 23.20 | 0.70 | 210.00 | | | | | | |
| | <i>including</i> | | 23.20 | 24.00 | 0.80 | 78.40 | | | | | | |
| | <i>and including</i> | | 24.00 | 25.00 | 1.00 | 138.00 | | | | | | |
| GL-21-073 | | 6 | 36.80 | 63.80 | 27.00 | 0.37 | | | | | | |
| GL-21-073 | | 3 | 157.00 | 163.00 | 6.00 | 2.08 | | | | | | |
| | <i>including</i> | | 161.00 | 162.00 | 1.00 | 4.05 | | | | | | |
| GL-21-073 | | 3 | 171.00 | 173.00 | 2.00 | 6.05 | | | | | | |
| | <i>including</i> | | 171.00 | 172.00 | 1.00 | 9.48 | | | | | | |
| GL-21-073 | | 3 | 204.10 | 204.60 | 0.50 | 2.86 | | | | | | |
| GL-21-074 | | 3 | 142.00 | 153.00 | 10.90 | 2.57 | 325 | -45 | 5527453 | 546390 | 397 | 231 |
| | <i>including</i> | | 148.00 | 149.00 | 1.00 | 4.72 | | | | | | |
| | <i>and including</i> | | 150.00 | 151.00 | 1.00 | 16.20 | | | | | | |
| GL-21-074 | | 3 | 166.00 | 167.00 | 1.00 | 7.63 | | | | | | |
| GL-21-074 | | | 180.00 | 181.00 | 1.00 | 4.51 | | | | | | |
| GL-21-075 | | No Significant Results | | | | | 135 | -45 | 5527463 | 546390 | 396 | 231 |
| GL-21-076 | | No Significant Results | | | | | 320 | -50 | 5527430 | 546168 | 394 | 252 |
| GL-21-077 | | No Significant Results | | | | | 325 | -75 | 5527354 | 546852 | 408 | 60 |
| GL-21-077A | | No Significant Results | | | | | 325 | -75 | 5527354 | 546852 | 408 | 15.6 |
| GL-21-078 | | 4 | 139.40 | 146.30 | 6.90 | 0.45 | 325 | -45 | 5527354 | 546852 | 408 | 474.2 |
| GL-21-078 | | 4 | 219.00 | 235.10 | 16.10 | 0.30 | | | | | | |
| GL-21-078 | | 4 | 242.20 | 249.00 | 6.80 | 11.58 | | | | | | |
| | <i>including</i> | | 247.50 | 249.00 | 1.50 | 48.80 | | | | | | |
| GL-21-078 | | 4 | 280.15 | 281.40 | 1.25 | 2.59 | | | | | | |
| GL-21-078 | | 4 | 288.80 | 291.75 | 2.95 | 1.46 | | | | | | |
| GL-21-079 | | 4 | 74.20 | 75.20 | 1.00 | 8.89 | 295 | -50 | 5527531 | 546963 | 408 | 158 |
| GL-21-079 | | 4 | 132.30 | 132.60 | 0.30 | 3.81 | | | | | | |
| GL-21-079 | | 4 | 147.40 | 148.70 | 1.30 | 1.59 | | | | | | |
| GL-21-079X | | 1 | 36.50 | 50.00 | 13.50 | 0.28 | 295 | -50 | 5527531 | 546963 | 408 | 50 |
| GL-21-080 | | 4 | 165.10 | 181.00 | 15.90 | 0.37 | 302 | -75 | 5527531 | 546963 | 408 | 307 |
| GL-21-080 | | 6 | 282.00 | 288.90 | 6.90 | 7.07 | | | | | | |
| | <i>including</i> | | 282.00 | 282.50 | 0.50 | 61.20 | | | | | | |
| | <i>and including</i> | | 282.50 | 283.00 | 0.50 | 26.40 | | | | | | |
| | | 6 | 294.00 | 294.50 | 0.50 | 5.92 | | | | | | |
| GL-21-081 | | 4 | 25.50 | 49.00 | 23.50 | 1.91 | 295 | -50 | 5527555 | 546887 | 410 | 98 |
| | <i>including</i> | | 25.50 | 27.00 | 1.50 | 19.20 | | | | | | |

Notes

Reported intervals are drilled core lengths and do not indicate true widths

All grades uncut, no capping.

| Drill Hole | Including <i>and including</i> | Zone | From (m) | To (m) | Sample Length (m) | Grade (g/t Au) | Azimuth | Dip | Northing | Easting | Elevation | Depth |
|-------------------|-----------------------------------|-------------------------------|---------------|---------------|-------------------|----------------|------------|------------|----------------|---------------|------------|--------------|
| GL-21-081X | | No Significant Results | | | | | 295 | -50 | 5527555 | 546887 | 410 | 17 |
| GL-21-081Y | | | 8.50 | 11.00 | 2.50 | 0.64 | 295 | -50 | 5527555 | 546887 | 410 | 11 |
| GL-21-082 | | 4 | 66.00 | 68.10 | 2.10 | 1.74 | 295 | -75 | 5527555 | 546887 | 410 | 167 |
| GL-21-082 | | 4 | 79.40 | 88.00 | 8.60 | 1.07 | | | | | | |
| GL-21-082 | | 6 | 134.00 | 136.00 | 2.00 | 1.12 | | | | | | |
| | | 6 | 140.40 | 145.00 | 4.60 | 12.70 | | | | | | |
| | <i>including</i> | | 140.40 | 141.00 | 0.60 | 6.51 | | | | | | |
| | <i>and including</i> | | 143.60 | 145.00 | 1.40 | 37.50 | | | | | | |
| GL-21-082 | | 6 | 155.00 | 163.00 | 8.00 | 3.53 | | | | | | |
| | <i>including</i> | | 162.00 | 163.00 | 1.00 | 26.10 | | | | | | |
| GL-21-083 | | 3 | 216.80 | 232.70 | 15.90 | 0.37 | 340 | -50 | 5527519 | 546646 | 406 | 301.6 |
| | <i>including</i> | | 223.00 | 224.10 | 1.10 | 2.06 | | | | | | |
| GL-21-083X | | | 14.50 | 20.30 | 5.80 | 0.31 | 340 | -50 | 5527519 | 546646 | 406 | 20.3 |
| GL-21-084 | | 2 | 163.00 | 165.10 | 2.10 | 0.74 | 300 | -50 | 5527694 | 546814 | 400 | 200 |
| GL-21-084 | | 2 | 185.00 | 190.50 | 5.50 | 0.26 | | | | | | |
| GL-21-085 | | 4 | 130.30 | 146.70 | 16.40 | 1.41 | 320 | -50 | 5527723 | 547538 | 416 | 170 |
| | <i>including</i> | | 135.20 | 136.20 | 1.00 | 4.88 | | | | | | |
| | <i>including</i> | | 141.00 | 146.70 | 5.70 | 2.78 | | | | | | |
| | <i>and including</i> | | 144.80 | 146.70 | 1.90 | 6.17 | | | | | | |
| GL-21-086 | | 1 | 23.10 | 41.20 | 18.10 | 0.56 | 320 | -50 | 5527766 | 547621 | 416 | 176 |
| | <i>including</i> | | 23.10 | 24.20 | 1.10 | 3.74 | | | | | | |
| | <i>and including</i> | | 33.50 | 35.00 | 1.50 | 1.43 | | | | | | |
| GL-21-086 | | 4 | 134.90 | 140.00 | 5.10 | 2.31 | | | | | | |
| | <i>including</i> | | 138.70 | 140.00 | 1.30 | 8.79 | | | | | | |
| GL-21-087 | | No Significant Results | | | | | 320 | -50 | 5527907 | 547767 | 400 | 170 |
| GL-21-088 | | 6 | 140.00 | 147.80 | 7.80 | 0.70 | 320 | -50 | 5528033 | 547878 | 400 | 170 |
| GL-21-089 | | No Significant Results | | | | | 300 | -50 | 5528304 | 548500 | 400 | 99 |
| GL-21-090 | | 1 | 163.00 | 164.00 | 1.00 | 2.20 | 300 | -50 | 5528348 | 548669 | 400 | 200 |
| GL-21-090 | | 1 | 184.00 | 185.00 | 1.00 | 4.60 | | | | | | |
| GL-21-091 | | 1 | 130.00 | 139.00 | 9.00 | 0.35 | 130 | -50 | 5528538 | 548649 | 400 | 302 |
| | <i>including</i> | | 136.00 | 137.00 | 1.00 | 1.26 | | | | | | |
| GL-21-091 | | 1 | 165.00 | 168.00 | 3.00 | 1.00 | | | | | | |
| | <i>including</i> | | 165.00 | 166.50 | 1.50 | 1.70 | | | | | | |
| GL-21-092 | | 4 | 53.50 | 61.00 | 7.50 | 0.78 | 305 | -50 | 5528538 | 548649 | 400 | 446 |
| | <i>including</i> | | 53.50 | 55.00 | 1.50 | 3.51 | | | | | | |
| GL-21-092 | | 3 | 158.50 | 160.00 | 1.50 | 1.35 | | | | | | |
| GL-21-092 | | 3 | 192.50 | 194.00 | 1.50 | 1.54 | | | | | | |
| GL-21-093 | | 4 | 51.00 | 61.50 | 10.50 | 0.32 | 130 | -50 | 5528278 | 548232 | 300 | 302 |
| | <i>including</i> | | 55.50 | 56.60 | 1.10 | 0.95 | | | | | | |
| GL-21-093 | | 1 | 140.50 | 144.70 | 4.20 | 0.55 | | | | | | |

Notes

Reported intervals are drilled core lengths and do not indicate true widths
All grades uncut, no capping.

| Drill Hole | Including | Zone | From (m) | To (m) | Sample Length (m) | Grade (g/t Au) | Azimuth | Dip | Northing | Easting | Elevation | Depth |
|------------|------------------|------------------------|----------|--------|-------------------|----------------|---------|-----|----------|---------|-----------|-------|
| | <i>including</i> | | 143.50 | 144.70 | 1.20 | 1.43 | | | | | | |
| GL-21-094 | | 5 | 12.70 | 16.10 | 3.40 | 2.96 | 150 | -50 | 5527636 | 547492 | 410 | 302 |
| | <i>including</i> | | 14.90 | 16.10 | 1.20 | 7.81 | | | | | | |
| GL-21-095 | | 5 | 48.00 | 62.85 | 14.85 | 0.53 | 150 | -50 | 5527558 | 547326 | 409 | 165 |
| | <i>including</i> | | 59.00 | 62.85 | 3.85 | 1.58 | | | | | | |
| GL-21-095 | | 5 | 84.80 | 86.60 | 1.80 | 1.63 | | | | | | |
| GL-21-096 | | 5 | 13.60 | 14.20 | 0.60 | 0.85 | 150 | -50 | 5527491 | 547165 | 408 | 200 |
| GL-21-097 | | 5 | 157.00 | 158.00 | 1.00 | 2.43 | 150 | -55 | 5527451 | 547065 | 406 | 173 |
| GL-21-098 | | 5 | 83.00 | 84.50 | 1.50 | 1.12 | 150 | -55 | 5527430 | 547018 | 405 | 176 |
| GL-21-099 | | No Significant Results | | | | | 150 | -60 | 5527378 | 546976 | 405 | 227 |

Notes

Reported intervals are drilled core lengths and do not indicate true widths

All grades uncut, no capping.