

Drill Hole	Including	Zone	From (m)	To (m)	Sample Length (m)	Grade (g/t Au)	Azimuth	Dip	Northing	Easting	Elevation	Depth
GL-20-035		2	167.00	184.60	17.60	1.41	333	-48	5528083	547830	413	201
	<i>including</i>		177.10	183.63	6.53	2.33						
	<i>and including</i>		182.60	183.63	1.03	8.16						
GL-20-036		3	89.00	90.00	1.00	1.22	332	-52	5528129	547898	413	126
GL-20-037		6	43.00	44.00	1.00	6.74	330	-52	5528166	547925	413.5	177
GL-20-037		3	82.00	92.00	10.00	2.23						
	<i>including</i>		86.00	92.00	6.00	2.99						
	<i>including</i>		87.50	88.80	1.30	6.86						
	<i>and including</i>		91.00	92.00	1.00	6.83						
GL-20-037		3	110.00	114.00	4.00	4.19						
	<i>including</i>		110.00	111.00	1.00	15.90						
GL-20-037		2	132.60	147.00	14.40	0.76						
	<i>including</i>		140.00	142.00	2.00	2.10						
GL-20-037		2	170.50	172.00	1.50	12.20						
GL-20-038		3	11.64	18.00	6.36	0.92	332	-48	5528167	547840	414	125
	<i>including</i>		17.44	18.00	0.56	5.91						
GL-20-038		3	48.95	58.23	9.28	0.82						
	<i>including</i>		48.95	50.36	1.41	3.23						
GL-20-038		2	67.00	83.00	16.00	1.42						
	<i>including</i>		77.00	78.00	1.00	11.90						
GL-20-038		2	102.00	104.00	2.00	1.03						
GL-20-039		3	86.09	88.00	1.91	0.76	338	-48	5528147	547910	413	177
GL-20-039		2	130.33	132.00	1.67	2.57						
	<i>including</i>		130.33	131.00	0.67	4.86						
GL-20-039		2	143.00	155.00	12.00	1.19						
	<i>including</i>		147.00	147.00	1.00	5.10						
GL-20-039		2	172.77	177.00	4.23	0.50						
GL-20-040		6	55.00	56.00	1.00	1.07	334	-47	5528178	547942	414.5	180
GL-20-040		3	73.00	75.55	2.55	0.92						
GL-20-040		2	119.50	140.00	20.50	0.42						
	<i>including</i>		137.90	139.00	1.10	1.55						
GL-20-040		2	168.00	169.00	1.00	3.78						
GL-20-041		6	36.90	39.50	2.60	4.39	337	-47	5528095	547844	413	201
	<i>including</i>		37.70	38.50	0.80	9.49						
GL-20-041		2	173.00	180.60	7.60	2.40						
	<i>including</i>		179.00	179.95	0.95	5.32						
GL-20-042		6	11.00	14.00	3.00	6.19	335	-48	5528230	547984	414	175
	<i>including</i>		12.00	13.00	1.00	13.80						
GL-20-042		3	69.00	71.51	2.51	5.00						
	<i>including</i>		70.00	71.00	1.00	10.60						
GL-20-042		2	126.00	141.00	15.00	0.44						

Notes

Reported intervals are drilled core lengths and do not indicate true widths

All grades uncut, no capping.

Drill Hole	Including	Zone	From (m)	To (m)	Sample Length (m)	Grade (g/t Au)	Azimuth	Dip	Northing	Easting	Elevation	Depth
GL-20-043		3	16.00	23.62	7.62	1.06	333	-45	5528172	547858	414	126
	<i>including</i>		22.11	23.62	1.51	4.08						
GL-20-043		2	74.00	89.00	15.00	7.15						
	<i>including</i>		74.00	75.00	1.00	5.59						
	<i>including</i>		87.00	88.00	1.00	5.03						
	<i>and including</i>		88.00	89.00	1.00	83.70						
GL-20-044		6	18.85	20.00	1.15	2.65	338	-53	5528078	547803	413	210
GL-20-044		3	80.00	81.00	1.00	1.05						
GL-20-044		3	97.00	104.39	7.39	0.38						
GL-20-044		3	121.00	122.00	1.00	1.19						
GL-20-044		2	172.00	178.00	6.00	0.76						
	<i>including</i>	2	174.00	175.00	1.00	2.03						
GL-20-045		3	104.60	107.85	3.25	6.58	359	-46	5528100	547857	412	141
	<i>including</i>		106.75	107.85	1.10	14.50						
GL-20-046		3	1.30	39.00	37.70	1.18	158	-48	5528174	547790	416	165
	<i>including</i>		14.00	15.00	1.00	12.70						
			35.07	35.95	0.88	26.50						
GL-20-046		3	68.34	73.00	4.66	0.45						
GL-20-046		6	135.00	148.00	13.00	0.51						
GL-20-047		3	15.00	17.69	2.69	0.62	157	-47	5528249	547890	409	165
	<i>including</i>		16.27	17.00	0.73	1.86						
GL-20-047		6	140.00	150.00	10.00	0.53						
	<i>including</i>		140.00	141.00	1.00	4.43						
GL-20-048		3	24.00	30.00	6.00	0.49	152	-48	5528264	547909	408	177
GL-20-048		3	52.00	55.18	3.18	4.50						
	<i>including</i>		54.20	55.18	0.98	11.30						
GL-20-048		6	85.00	96.00	11.00	0.33						
	<i>including</i>		95.00	96.00	1.00	1.90						
GL-20-048		6	145.69	149.00	3.31	0.44						
GL-20-049		2	3.00	6.00	3.00	3.29	154	-45	5528243	547869	410	198
	<i>including</i>		3.00	4.00	1.00	9.06						
GL-20-049		3	56.00	65.50	9.50	5.15						
	<i>including</i>		56.00	57.00	1.00	19.90						
	<i>and including</i>		64.90	65.50	0.60	33.90						
GL-20-049		6	162.00	172.00	10.00	0.52						
	<i>including</i>		171.00	172.00	1.00	3.44						
GL-20-050		3	23.00	26.00	3.00	0.64	324	-46	5528271	547967	410	126
GL-20-050		2	75.00	103.00	28.00	0.67						
	<i>including</i>		85.00	87.00	2.00	4.10						
	<i>and including</i>		100.00	101.00	1.00	4.83						

Notes

Reported intervals are drilled core lengths and do not indicate true widths
All grades uncut, no capping.

Drill Hole	Including	Zone	From (m)	To (m)	Sample Length (m)	Grade (g/t Au)	Azimuth	Dip	Northing	Easting	Elevation	Depth
GL-20-051		2	2.32	10.00	7.68	1.72	334	-45	5528298	547946	408	87
	<i>including</i>		8.00	10.00	2.00	6.22						
GL-20-051		2	18.00	30.00	12.00	0.61						
	<i>including</i>		29.00	30.00	1.00	3.85						
GL-20-051		2	46.00	56.00	10.00	1.21						
	<i>including</i>		49.00	50.00	1.00	6.87						
GL-20-051		2	67.00	73.00	6.00	0.65						
GL-21-001		2	20.00	32.00	12.00	1.00	150	-46	5528367	547942	405	261
GL-21-001		2	39.00	48.00	9.00	0.78						
GL-21-001		3	140.60	141.30	0.70	1.64						
GL-21-001		6	170.75	173.25	2.50	1.46						
GL-21-002		2	55.00	85.00	30.00	0.67	155	-47	5528321	547886	404	165
	<i>including</i>		55.00	57.00	2.00	2.80						
	<i>and including</i>		69.00	79.00	10.00	1.19						
GL-21-002		3	151.00	153.00	2.00	1.40						
GL-21-003		2	26.40	44.00	17.60	0.45	336	-47	5528337	547980	405	66
GL-21-003		2	37.00	44.00	7.00	0.72						
GL-21-003		2	55.06	58.50	3.44	2.57						
GL-21-004		3	40.00	41.00	1.00	2.23	145	-45	5528317	547973	406	150
GL-21-004		6	73.25	74.85	1.60	0.87						
GL-21-005		3	15.90	36.00	20.10	1.34	333	-50	5528302	548003	408	123
	<i>including</i>		15.90	23.00	7.10	3.09						
	<i>including</i>		15.90	16.90	1.00	16.70						
	<i>and including</i>		30.70	36.00	5.30	0.80						
GL-21-005		2	106.10	123.00	16.90	0.48						
	<i>including</i>		106.10	109.40	3.30	1.46						
GL-21-006		3	42.50	44.50	2.00	0.78	335	-45	5528311	548038	407	180
GL-21-007		3	12.00	17.00	5.00	0.66	158	-50	5528140	547701	419	201
	<i>including</i>		16.00	17.00	1.00	2.65						
GL-21-007		6	145.20	146.20	1.00	1.08						
GL-21-007		6	172.20	173.20	1.00	1.08						
GL-21-008		3	15.00	17.00	2.00	0.58	330	-60	5528078	547678	425	150
GL-21-008		2	77.50	82.70	5.20	0.39						
GL-21-008		2	100.70	105.20	4.50	0.79						
GL-21-009		2	96.40	98.40	2.00	0.88	325	-60	5528050	547625	428	150
GL-21-009		2	108.00	108.70	0.70	1.65						
GL-21-010		3	15.10	24.30	9.20	0.62	160	-60	5528155	547754	419	216
	<i>including</i>		23.30	24.30	1.00	1.90						
GL-21-010		3	79.30	88.30	9.00	0.63						
	<i>including</i>		79.30	80.30	1.00	3.66						
GL-21-011		2	130.10	135.00	4.90	0.66	330	-60	5528339	548079	407	192

Notes

Reported intervals are drilled core lengths and do not indicate true widths
All grades uncut, no capping.

Drill Hole	Including	Zone	From (m)	To (m)	Sample Length (m)	Grade (g/t Au)	Azimuth	Dip	Northing	Easting	Elevation	Depth
GL-21-012		2	110.00	112.00	2.00	0.61	328	-45	5528364	548118	405	162
GL-21-012		2	142.20	143.20	1.00	1.04						
GL-21-013		2	33.00	41.00	8.00	0.52	151	-45	5528407	547975	404	201
	<i>including</i>		39.00	40.00	1.00	2.54						
GL-21-013		2	88.10	101.10	13.00	1.23						
	<i>including</i>		96.10	97.10	1.00	3.98						
GL-21-013		3	180.30	181.30	1.00	3.12						
GL-21-014		3	45.15	46.20	1.05	0.51	330	-45	5528410	548188	406	150
GL-21-015		3	65.00	70.00	5.00	1.55	330	-45	5528462	548252	406	150
	<i>including</i>		69.00	70.00	1.00	6.51						
GL-21-015		2	87.10	88.10	1.00	9.45						
GL-21-016		3	50.10	55.10	5.00	0.64	330	-45	5528490	548325	407	162
	<i>including</i>		54.10	55.10	1.00	1.94						
GL-21-017		6	38.90	49.00	10.10	0.40	330	-45	5528518	548405	407	180
GL-21-017		3	74.00	75.75	1.75	1.20						
GL-21-017		2	140.00	141.00	1.00	1.69						
GL-21-018		3	108.00	109.00	1.00	1.05	332	-45	5528560	548475	407	177
GL-21-019		3	91.45	95.00	3.55	0.46	330	-47	5528600	548550	407	201
GL-21-019		2	180.00	181.00	1.00	1.02						
GL-21-020		4	49.00	52.76	3.76	4.49	157	-44	5527630	546915	416	210
	<i>including</i>		49.00	50.00	1.00	16.00						
GL-21-020		4	82.00	91.00	9.00	1.62						
	<i>including</i>		85.00	86.00	1.00	8.16						
GL-21-020		4	108.61	118.00	9.39	1.08						
GL-21-021		4	19.00	45.80	26.80	0.75	161	-44	5527636	546956	417	186
	<i>including</i>		19.00	22.20	3.20	4.12						
GL-21-021		4	87.10	107.10	20.00	0.95						
	<i>including</i>		98.10	103.10	5.00	2.11						
	<i>and including</i>		102.10	103.10	1.00	7.09						
GL-21-022		4	8.00	87.70	79.70	0.34	145	-44	5527647	546996	421	186
	<i>including</i>		8.00	14.00	6.00	0.78						
	<i>including</i>		31.50	44.10	12.60	0.74						
	<i>and including</i>		76.00	84.70	8.70	0.62						
GL-21-023		4	10.00	16.28	6.28	0.48	150	-44	5527658	547030	423	171
GL-21-023		4	61.50	93.29	31.79	0.38						
GL-21-024		8	32.00	40.00	8.00	1.35	330	-44	5527533	546978	407	132
	<i>including</i>		35.00	36.00	1.00	5.92						
GL-21-024		4	74.20	76.20	2.00	2.30						
	<i>including</i>		75.20	76.20	1.00	4.15						
GL-21-024		4	92.00	94.90	2.90	1.13						
	<i>including</i>		94.30	94.90	0.60	4.64						

Notes

Reported intervals are drilled core lengths and do not indicate true widths

All grades uncut, no capping.

Drill Hole	Including	Zone	From (m)	To (m)	Sample Length (m)	Grade (g/t Au)	Azimuth	Dip	Northing	Easting	Elevation	Depth
GL-21-025		4	62.50	78.70	16.20	0.81	324	-45	5527540	547015	407	222
	<i>including</i>		62.50	64.50	2.00	2.70						
	<i>and including</i>		76.20	76.70	0.50	5.62						
GL-21-025		4	101.90	106.71	4.81	1.57						
	<i>including</i>		105.71	106.71	1.00	4.06						
GL-21-025		4	119.00	125.60	6.60	0.44						
GL-21-025		6	173.00	190.00	17.00	0.70						
	<i>including</i>		176.80	184.00	7.20	1.24						
GL-21-026		4	80.60	85.50	4.90	0.64	335	-44	5527600	547169	405	132
GL-21-027		4	44.10	49.60	5.50	1.33	323	-43	5527636	547195	412	117
	<i>including</i>		44.10	45.25	1.15	3.22						
GL-21-027		4	66.75	69.85	3.10	1.29						
	<i>including</i>		66.75	67.95	1.20	2.79						
GL-21-028		4	8.00	66.00	58.00	0.89	158	-58	5527654	547014	422	141
	<i>including</i>		8.00	26.50	18.50	2.01						
	<i>including</i>		10.00	11.00	1.00	22.40						
	<i>and including</i>		22.00	23.50	1.50	5.06						
GL-21-028		4	96.50	118.00	21.50	3.14						
	<i>including</i>		98.60	99.60	1.00	55.70						
GL-21-029		4	31.00	36.00	5.00	2.95	152	-65	5527668	547048	427	177
	<i>including</i>		31.00	32.00	1.00	8.78						
	<i>and including</i>		35.00	36.00	1.00	5.70						
GL-21-029		4	87.10	92.10	5.00	0.62						
GL-21-029		4	109.40	124.10	14.70	0.46						
GL-21-030		4	61.80	65.00	3.20	0.55	155	-45	5527697	547060	425	201
GL-21-030		4	77.70	79.70	2.00	1.40						
GL-21-030		4	93.20	134.00	40.80	0.46						
	<i>including</i>		93.20	94.20	1.00	3.59						
	<i>including</i>		114.60	119.60	5.00	1.06						
	<i>and including</i>		130.00	134.00	4.00	0.95						
GL-21-031		4	29.00	34.00	5.00	1.45	125	-60	5527681	547078	427	156
	<i>including</i>		31.00	32.00	1.00	6.33						
GL-21-031		4	47.25	55.00	7.75	6.36						
	<i>including</i>		49.10	50.00	0.90	51.70						
GL-21-031		4	97.00	107.75	10.75	0.84						
	<i>including</i>		97.00	98.00	1.00	5.82						
GL-21-031		4	127.61	128.75	1.14	2.80						
GL-21-031		4	142.95	144.00	1.05	2.77						
GL-21-032		8	38.50	41.10	2.60	0.49	155	-46	5527684	547109	424	156
GL-21-032		4	65.53	77.00	11.47	0.93						
	<i>including</i>		76.22	77.00	0.78	5.19						

Notes

Reported intervals are drilled core lengths and do not indicate true widths

All grades uncut, no capping.

Drill Hole	Including	Zone	From (m)	To (m)	Sample Length (m)	Grade (g/t Au)	Azimuth	Dip	Northing	Easting	Elevation	Depth	
GL-21-033		4	93.30	96.30	3.00	2.37	158	-56	5527698	547153	421	177	
	<i>including</i>		95.30	96.30	1.00	6.19							
GL-21-033		4	125.00	126.00	1.00	4.98							
GL-21-034		4	77.05	93.15	16.10	0.99	155	-45	5527714	547184	420	147	
			89.50	90.30	0.80	10.00							
GL-21-035		4	46.75	86.80	40.05	0.89	155	-45	5527729	547213	420	150	
	<i>including</i>		46.75	47.85	1.10	6.28							
	<i>including</i>		72.45	73.40	0.95	13.10							
	<i>and including</i>		79.39	80.18	0.79	10.00							
GL-21-036		4	83.80	87.53	3.73	1.61	149	-44	5527760	547272	420	135	
	<i>including</i>		83.80	84.75	0.95	3.73							
GL-21-037		4	68.20	71.20	3.00	0.60	148	-50	5527778	547308	417	162	
GL-21-037		4	96.50	100.40	3.90	2.73							
	<i>including</i>		96.50	97.50	1.00	4.55							
	<i>and including</i>		98.50	99.40	0.90	5.81							
GL-21-038		4	61.10	62.00	0.90	2.82	153	-50	5527791	547346	417	192	
GL-21-038		4	87.88	93.33	5.45	0.74							
GL-21-039		4	63.20	72.10	8.90	1.16	340	-45	5527705	547405	413	126	
	<i>including</i>		69.90	72.10	2.20	4.15							
GL-21-040		No Significant Results						333	-45	5527695	547361	412	126
GL-21-041		8	40.30	45.51	5.21	0.82	337	-45	5527684	547327	414	117	
GL-21-042		4	52.60	54.60	2.00	4.86	334	-55	5527660	547272	414	141	
	<i>including</i>		53.60	54.60	1.00	9.36							
GL-21-042		4	70.80	80.80	10.00	0.66							
	<i>including</i>		79.80	80.80	1.00	2.87							
GL-21-042		4	115.70	122.70	7.00	1.69							
	<i>including</i>		115.70	116.70	1.00	6.39							
GL-21-043		4	27.00	42.30	15.30	0.37	333	-45	5527645	547235	414	117	
			31.60	32.60	1.00	2.07							
GL-21-044		4	36.00	68.00	32.00	0.76	145	-45	5527845	547505	427	237	
	<i>including</i>		42.30	43.40	1.10	3.81							
	<i>including</i>		46.70	47.80	1.10	5.48							
	<i>and including</i>		67.00	68.00	1.00	6.28							
GL-21-044		1	147.00	160.00	13.00	0.58							
	<i>including</i>		151.00	152.00	1.00	2.62							
GL-21-045		4	54.30	67.50	13.20	0.30	160	-45	5527875	547560	430	240	
GL-21-045		8	137.60	148.60	11.00	1.02							
	<i>including</i>		147.60	148.60	1.00	4.90							
GL-21-046		4	29.00	31.00	2.00	4.26	150	-47	5527823	547462	423	276	
	<i>including</i>		29.00	30.00	1.00	7.01							
GL-21-046		4	47.00	52.80	5.80	3.53							

Notes

Reported intervals are drilled core lengths and do not indicate true widths
All grades uncut, no capping.

Drill Hole	Including	Zone	From (m)	To (m)	Sample Length (m)	Grade (g/t Au)	Azimuth	Dip	Northing	Easting	Elevation	Depth	
	<i>including</i>		50.00	51.40	1.40	9.57							
	<i>and including</i>		52.00	52.80	0.80	3.41							
GL-21-046		1	148.00	169.00	21.00	0.31							
	<i>including</i>		165.90	166.60	0.70	2.10							
GL-21-047		4	50.10	71.50	21.40	0.83	143	-50	5527804	547419	421	150	
	<i>including</i>		65.40	67.90	2.50	2.55							
GL-21-048		4	128.00	129.00	1.00	21.50	150	-45	5527605	546800	413	261	
GL-21-048		8	161.90	167.80	5.90	2.45							
	<i>including</i>		161.90	164.00	2.10	6.30							
GL-21-049		6	39.00	43.00	4.00	1.91	125	-45	5527610	546810	415	274.5	
	<i>including</i>		40.00	41.00	1.00	3.92							
GL-21-049		4	72.40	80.00	7.60	0.34							
GL-21-049		4	108.80	118.00	9.20	0.52							
GL-21-049		4	126.40	138.20	11.80	1.12							
	<i>including</i>		128.20	129.00	0.80	6.39							
	<i>and including</i>		135.70	136.40	0.70	2.85							
GL-21-049		4	159.00	176.30	17.30	0.89							
	<i>including</i>		165.00	166.00	1.00	7.06							
GL-21-050		6	6.00	6.70	0.70	27.70	130	-46	5527559	546704	420	276	
GL-21-050		4	68.00	94.00	26.00	2.94							
	<i>including</i>		72.00	73.00	1.00	63.50							
	<i>and including</i>		93.00	94.00	1.00	8.08							
GL-21-051		6	14.00	22.00	8.00	1.27	145	-45	5527530	546575	409	195	
	<i>including</i>		14.00	15.00	1.00	2.14							
	<i>and including</i>		21.00	22.00	1.00	7.90							
GL-21-051		4	109.69	121.95	12.26	0.41							
	<i>including</i>		117.88	118.27	0.39	8.33							
GL-21-052		5	137.00	150.00	13.00	1.05	120	-60	5527458	547084	412	150	
GL-21-053		No Significant Results						10	-60	5527511	547009	407	150
GL-21-054		No Significant Results						300	-60	5528197	547816	415	102
GL-21-055		3	12.00	12.60	0.60	8.85	180	-60	5528197	547816	415	102	
GL-21-055		3	25.25	25.75	0.50	22.80							
G1-21-055		3	31.00	36.00	5.00	1.76							
GL-21-055		3	60.30	67.00	6.70	0.90							
GL-21-055		3	70.00	71.00	1.00	18.30							
GL-21-056		No Significant Results						330	-60	5527245	545622	390	102
GL-21-057		7	55.00	56.00	1.00	7.02							
GL-21-057		7	61.00	63.00	2.00	3.71							
	<i>including</i>		62.00	63.00	1.00	6.30							
GL-21-058		1	103.60	129.50	25.90	5.48	155	-47	5527340	546580	402	180	
	<i>including</i>		104.60	105.60	1.00	76.80							

Notes

Reported intervals are drilled core lengths and do not indicate true widths
All grades uncut, no capping.

Drill Hole	Including	Zone	From (m)	To (m)	Sample Length (m)	Grade (g/t Au)	Azimuth	Dip	Northing	Easting	Elevation	Depth
	<i>including</i>		109.60	111.50	1.90	14.95						
	<i>including</i>		116.50	117.50	1.00	5.26						
	<i>and including</i>		123.50	128.50	5.00	2.95						
GL-21-059		1	6.00	39.70	33.70	1.67	155	-45	5527325	546660	403	111
	<i>including</i>		35.30	36.40	1.10	12.10						
GL-21-059		1	64.00	70.00	6.00	0.93						
GL-21-060		1	119.00	120.00	1.00	2.26	355	-68	5527195	546535	404	177
GL-21-060		1	131.10	134.00	2.90	3.08						
	<i>including</i>		131.10	132.00	0.90	5.89						
GL-21-061		1	133.00	147.00	14.00	2.83	330	-64	5527248	546765	404	162
	<i>including</i>		133.00	137.00	4.00	6.35						
	<i>including</i>		133.00	134.00	1.00	12.30						
	<i>including</i>		135.00	136.00	1.00	6.14						
	<i>including</i>		139.00	140.00	1.00	5.58						
	<i>and including</i>		145.00	146.00	1.00	4.77						
GL-21-062		8	8.00	15.50	7.50	1.01	330	-45	5527380	546710	407	201
	<i>including</i>		9.70	10.50	0.80	2.77						
GL-21-062		4	129.00	132.00	3.00	0.54						
GL-21-063		8	20.10	32.00	11.90	0.31	137	-45	5527522	546437	403	375
	<i>including</i>		20.10	21.10	1.00	1.77						
GL-21-063		4	185.30	187.40	2.10	1.37						
GL-21-064		5	47.40	61.00	13.60	0.51	130	-50	5527534	547275	409	153
	<i>including</i>		59.00	61.00	2.00	1.99						
GL-21-065		5	38.50	58.80	20.30	1.10	130	-50	5527515	547240	408.5	150
	<i>including</i>		55.00	58.80	3.80	4.50						
	<i>including</i>		56.00	56.90	0.90	13.90						
	<i>and including</i>		57.80	58.80	1.00	3.32						
GL-21-066		5	53.50	58.50	5.00	6.79	135	-50	5527502	547210	408	150
	<i>including</i>		53.50	54.50	1.00	5.45						
	<i>including</i>		54.50	55.50	1.00	21.00						
	<i>and including</i>		57.50	58.50	1.00	4.20						
GL-21-067		5	43.00	77.00	34.00	0.41	125	-50	5527570	547340	410	201
	<i>including</i>		73.00	74.00	1.00	3.21						
GL-21-067		5	92.00	99.80	7.80	0.83						
	<i>including</i>		95.00	96.00	1.00	1.66						
GL-21-068		5	50.00	60.60	10.60	0.63	115	-55	5527570	547340	410	252
GL-21-068		5	86.00	92.50	6.50	0.91						
GL-21-068		5	97.10	98.00	0.90	2.80						
GL-21-068		5	101.00	102.10	1.10	11.80						
GL-21-069		5	39.00	44.00	5.00	0.46	145	-50	5527625	547450	412	225
GL-21-070		3	202.80	206.00	3.20	1.68	150	-45	5528097	547415	410	330

Notes

Reported intervals are drilled core lengths and do not indicate true widths
All grades uncut, no capping.

Drill Hole	Including	Zone	From (m)	To (m)	Sample Length (m)	Grade (g/t Au)	Azimuth	Dip	Northing	Easting	Elevation	Depth
	<i>including</i>		204.00	204.60	0.60	4.80						
GL-21-070		6	297.00	298.00	1.00	11.10						
GL-21-071		3	176.50	181.20	4.70	0.58	135	-45	5528048	547325	407.4	327
GL-21-072		3	201.00	202.00	1.00	2.15	135	-45	5528047	547227	405	402
GL-21-072		3	308.00	309.00	1.00	2.09						
GL-21-073		6	22.50	28.00	5.50	66.56	305	-45	5527525	546542	405	210
	<i>including</i>		22.50	23.20	0.70	210.00						
	<i>including</i>		23.20	24.00	0.80	78.40						
	<i>and including</i>		24.00	25.00	1.00	138.00						
GL-21-073		6	36.80	63.80	27.00	0.37						
GL-21-073		3	157.00	163.00	6.00	2.08						
	<i>including</i>		161.00	162.00	1.00	4.05						
GL-21-073		3	171.00	173.00	2.00	6.05						
	<i>including</i>		171.00	172.00	1.00	9.48						
GL-21-073		3	204.10	204.60	0.50	2.86						
GL-21-074		3	142.00	153.00	10.90	2.57	325	-45	5527453	546390	397	231
	<i>including</i>		148.00	149.00	1.00	4.72						
	<i>and including</i>		150.00	151.00	1.00	16.20						
GL-21-074		3	166.00	167.00	1.00	7.63						
GL-21-074			180.00	181.00	1.00	4.51						
GL-21-075		No Significant Results					135	-45	5527463	546390	396	231
GL-21-076		No Significant Results					320	-50	5527430	546168	394	252
GL-21-077		No Significant Results					325	-75	5527354	546852	408	60
GL-21-077A		No Significant Results					325	-75	5527354	546852	408	15.6
GL-21-078		4	139.40	146.30	6.90	0.45	325	-45	5527354	546852	408	474.2
GL-21-078		4	219.00	235.10	16.10	0.30						
GL-21-078		4	242.20	249.00	6.80	11.58						
	<i>including</i>		247.50	249.00	1.50	48.80						
GL-21-078		4	280.15	281.40	1.25	2.59						
GL-21-078		4	288.80	291.75	2.95	1.46						
GL-21-079		4	74.20	75.20	1.00	8.89	295	-50	5527531	546963	408	158
GL-21-079		4	132.30	132.60	0.30	3.81						
GL-21-079		4	147.40	148.70	1.30	1.59						
GL-21-079X		1	36.50	50.00	13.50	0.28	295	-50	5527531	546963	408	50
GL-21-080		4	165.10	181.00	15.90	0.37	302	-75	5527531	546963	408	307
GL-21-080		6	282.00	288.90	6.90	7.07						
	<i>including</i>		282.00	282.50	0.50	61.20						
	<i>and including</i>		282.50	283.00	0.50	26.40						
		6	294.00	294.50	0.50	5.92						
GL-21-081		4	25.50	49.00	23.50	1.91	295	-50	5527555	546887	410	98
	<i>including</i>		25.50	27.00	1.50	19.20						

Notes

Reported intervals are drilled core lengths and do not indicate true widths

All grades uncut, no capping.

Drill Hole	Including <i>and including</i>	Zone	From (m)	To (m)	Sample Length (m)	Grade (g/t Au)	Azimuth	Dip	Northing	Easting	Elevation	Depth
GL-21-081X		No Significant Results					295	-50	5527555	546887	410	17
GL-21-081Y			8.50	11.00	2.50	0.64	295	-50	5527555	546887	410	11
GL-21-082		4	66.00	68.10	2.10	1.74	295	-75	5527555	546887	410	167
GL-21-082		4	79.40	88.00	8.60	1.07						
GL-21-082		6	134.00	136.00	2.00	1.12						
		6	140.40	145.00	4.60	12.70						
	<i>including</i>		140.40	141.00	0.60	6.51						
	<i>and including</i>		143.60	145.00	1.40	37.50						
GL-21-082		6	155.00	163.00	8.00	3.53						
	<i>including</i>		162.00	163.00	1.00	26.10						
GL-21-083		3	216.80	232.70	15.90	0.37	340	-50	5527519	546646	406	301.6
	<i>including</i>		223.00	224.10	1.10	2.06						
GL-21-083X			14.50	20.30	5.80	0.31	340	-50	5527519	546646	406	20.3
GL-21-084		2	163.00	165.10	2.10	0.74	300	-50	5527694	546814	400	200
GL-21-084		2	185.00	190.50	5.50	0.26						
GL-21-085		4	130.30	146.70	16.40	1.41	320	-50	5527723	547538	416	170
	<i>including</i>		135.20	136.20	1.00	4.88						
	<i>including</i>		141.00	146.70	5.70	2.78						
	<i>and including</i>		144.80	146.70	1.90	6.17						
GL-21-086		1	23.10	41.20	18.10	0.56	320	-50	5527766	547621	416	176
	<i>including</i>		23.10	24.20	1.10	3.74						
	<i>and including</i>		33.50	35.00	1.50	1.43						
GL-21-086		4	134.90	140.00	5.10	2.31						
	<i>including</i>		138.70	140.00	1.30	8.79						
GL-21-087		No Significant Results					320	-50	5527907	547767	400	170
GL-21-088		6	140.00	147.80	7.80	0.70	320	-50	5528033	547878	400	170
GL-21-089		No Significant Results					300	-50	5528304	548500	400	99
GL-21-090		1	163.00	164.00	1.00	2.20	300	-50	5528348	548669	400	200
GL-21-090		1	184.00	185.00	1.00	4.60						
GL-21-091		1	130.00	139.00	9.00	0.35	130	-50	5528538	548649	400	302
	<i>including</i>		136.00	137.00	1.00	1.26						
GL-21-091		1	165.00	168.00	3.00	1.00						
	<i>including</i>		165.00	166.50	1.50	1.70						
GL-21-092		4	53.50	61.00	7.50	0.78	305	-50	5528538	548649	400	446
	<i>including</i>		53.50	55.00	1.50	3.51						
GL-21-092		3	158.50	160.00	1.50	1.35						
GL-21-092		3	192.50	194.00	1.50	1.54						
GL-21-093		4	51.00	61.50	10.50	0.32	130	-50	5528278	548232	300	302
	<i>including</i>		55.50	56.60	1.10	0.95						
GL-21-093		1	140.50	144.70	4.20	0.55						

Notes

Reported intervals are drilled core lengths and do not indicate true widths
All grades uncut, no capping.

Drill Hole	Including	Zone	From (m)	To (m)	Sample Length (m)	Grade (g/t Au)	Azimuth	Dip	Northing	Easting	Elevation	Depth
	<i>including</i>		143.50	144.70	1.20	1.43						
GL-21-094		5	12.70	16.10	3.40	2.96	150	-50	5527636	547492	410	302
	<i>including</i>		14.90	16.10	1.20	7.81						
GL-21-095		5	48.00	62.85	14.85	0.53	150	-50	5527558	547326	409	165
	<i>including</i>		59.00	62.85	3.85	1.58						
GL-21-095		5	84.80	86.60	1.80	1.63						
GL-21-096		5	13.60	14.20	0.60	0.85	150	-50	5527491	547165	408	200
GL-21-097		5	157.00	158.00	1.00	2.43	150	-55	5527451	547065	406	173
GL-21-098		5	83.00	84.50	1.50	1.12	150	-55	5527430	547018	405	176
GL-21-099	No Significant Results						150	-60	5527378	546976	405	227
OC-21-001		Ocelot	71.00	72.00	1.00	1.08	145	-45	5529950	550489	405	200
OC-21-002		Ocelot	57.00	58.00	1.00	0.24	145	-45	5529781	550218	405	200
OC-21-003		Ocelot	79.00	81.00	2.00	0.92	145	-45	5529869	550155	405	200
OC-21-004		Ocelot	137.00	140.00	3.00	0.49	150	-45	5529672	549735	405	297
OC-21-004		Ocelot	219.00	220.00	1.00	1.27						
CC-21-005		Caracal	283.30	286.00	2.70	0.48	150	-50	5530125	551064	400	302
CC-21-006		Caracal	87.60	116.00	28.40	1.04	150	-50	5530144	551126	400	302
	<i>Including</i>	Caracal	98.00	105.00	7.00	2.70						
	<i>Including</i>	Caracal	100.00	101.00	1.00	4.44						
	<i>Including</i>	Caracal	102.00	103.00	1.00	9.14						
	<i>Including</i>	Caracal	115.00	116.00	1.00	7.12						
CC-21-007		Caracal	137.00	138.00	1.00	0.29	150	-50	5530277	551011	400	300
CC-21-008		Caracal	89.00	91.00	2.00	0.66	150	-50	5530324	550866	400	302
CC-21-009		Caracal	91.00	98.00	7.00	0.48	150	-50	5530208	551313	400	137
	<i>Including</i>		96.00	97.00	1.00	1.74						
CC-21-009		Caracal	111.00	112.00	1.00	3.84						

Notes

Reported intervals are drilled core lengths and do not indicate true widths

All grades uncut, no capping.