

Drill Hole	Depth (m)	Az	Dip
TL1	0	360	-50.0
TL1	49	360	-45.0
TL1	101	360	-43.0
TL1	152	360	-38.5
TL1	215	360	-38.0
TL2	0	360	-50.0
TL2	50	360	-45.0
TL2	101	360	-39.0
TL2	170	360	-36.0
TL3	0	360	-50.0
TL3	42	360	-45.0
TL3	113	360	-41.0
TL3	113.2	360	-41.0
TL4	0	360	-50.0
TL4	59	360	-44.0
TL4	101	360	-36.5
TL4	149	360	-35.5
TL4	200	360	-33.5
TL4	237.7	360	-31.0
TL5	0	360	-50.0
TL5	50	360	-43.0
TL5	100	360	-40.5
TL5	137	360	-39.0
TL6	0	360	-54.0
TL6	50	360	-49.0
TL6	116	360	-46.0
TL7	0	320	-50.0
TL7	50	320	-45.5
TL7	107	320	-41.5
TL8	0	360	-45.0
TL8	53	360	-43.0
TL8	83	360	-43.0
TL9	0	360	-45.0
TL9	58	354	-40.0
TL9	118	355	-40.0
TL10	0	360	-50.0
TL10	25	360	-48.0
TL10	64	360	-48.0
TL10	103	360	-48.0
TL10	142	3	-47.0
TL10	212	5	-46.0
TL10	242	5	-44.0
TL10	270	5	-43.0
TL10	300	9	-42.0
TL10	347	9	-37.0
TL10	362	9	-37.0
TL11	0	360	-50.0
TL11	54	356	-44.0

Drill Hole	Depth (m)	Az	Dip
TL11	93	360	-43.0
TL11	132	360	-42.0
TL11	171	1	-42.0
TL11	203	360	-42.0
TL11	233	2	-41.0
TL11	293	2	-40.0
TL11	344	4	-38.0
TL11	395	6	-36.0
TL12	0	360	-54.0
TL12	24	360	-52.0
TL12	57	1	-51.5
TL12	87	4	-51.0
TL12	117	5	-51.0
TL12	147	7	-51.5
TL12	177	9	-51.0
TL12	208	12	-50.0
TL12	238	13	-51.0
TL12	268	13	-51.0
TL12	294	13	-49.5
TL12	324	16	-48.5
TL12	357	15.5	-47.5
TL12	359	15.5	-47.5
TL12	383	15.5	-47.5
TL13	0	360	-50.0
TL13	30	355	-48.0
TL13	90	356	-47.0
TL13	120	357.5	-46.0
TL13	150	352	-44.0
TL13	155	352	-44.0
TL13	200	1	-43.0
TL13	254	4	-41.0
TL14	0	360	-45.0
TL14	30	358	-42.0
TL14	60	1	-42.0
TL14	90	360	-40.0
TL14	120	1	-42.0
TL14	150	2	-38.0
TL14	164	2	-38.0
TL15	0	360	-45.0
TL15	30	356	-41.0
TL15	60	359	-40.0
TL15	90	2	-42.0
TL15	112.85	3	-40.0
TL15	114.85	3	-40.0
TL16	0	360	-45.0
TL16	32	356	-41.0
TL16	62	357	-40.0
TL16	104	360	-39.0

Drill Hole	Depth (m)	Az	Dip
TL17	0	360	-45.0
TL17	30	359	-41.0
TL17	60	360	-40.0
TL17	90	359	-40.0
TL17	107	359	-40.0
TL18	0	330	-50.0
TL18	40	330	-49.0
TL18	80	330	-47.0
TL18	120	330	-45.0
TL18	160	330	-42.0
TL18	200	330	-41.0
TL18	227	330	-41.0
TL19	0	330	-45.0
TL19	24	330	-44.0
TL19	54	330	-42.0
TL19	84	331	-42.0
TL19	114	331	-41.0
TL19	144	332	-40.0
TL19	146	335	-40.0
TL20	0	360	-50.0
TL20	60	353	-44.0
TL20	90	355	-42.0
TL20	120	355	-41.0
TL20	150	357	-40.0
TL20	164	357	-40.0
TL21	0	360	-45.0
TL21	30	355	-41.0
TL21	60	357	-41.0
TL21	90	355	-40.5
TL21	120	359	-40.0
TL21	149	357	-39.0
TL22	0	360	-45.0
TL22	30	359	-40.0
TL22	60	358	-38.5
TL22	90	358	-37.5
TL22	120	359	-36.0
TL22	150	360	-36.0
TL22	152	360	-36.0
TL23	0	360	-45.0
TL23	30	360	-40.0
TL23	60	357	-39.0
TL23	90	359	-38.0
TL23	120	358	-37.5
TL23	150	1	-36.0
TL23	180	1	-35.5
TL23	210	1	-35.0
TL23	240	2	-34.5
TL23	270	3	-34.0

Drill Hole	Depth (m)	Az	Dip
TL23	300	4	-34.0
TL23	305	4	-34.0
TL24	0	360	-45.0
TL24	30	358	-42.5
TL24	60	356	-42.0
TL24	90	357	-41.0
TL24	120	355	-40.0
TL24	140	355	-40.0
TL25	0	360	-55.0
TL25	41	360	-51.0
TL25	92	360	-47.0
TL25	143	360	-46.0
TL25	189	359	-41.0
TL25	245	360	-34.0
TL25	295	360	-31.0
TL25	311	360	-30.0
TL26	0	360	-45.0
TL26	27	357	-42.0
TL26	77	356	-39.0
TL26	128	356	-35.0
TL26	179	357	-32.0
TL26	230	356	-28.0
TL26	275	356	-27.0
TL26	317	356	-25.0
TL26	318	356	-25.0
TL27	0	360	-55.0
TL27	14	1	-51.0
TL27	65	360	-47.0
TL27	119	356	-42.0
TL27	167	355	-40.0
TL27	218	354	-38.0
TL27	284	353	-36.0
TL28	0	4	-70.0
TL28	56	4	-67.0
TL28	107	4	-64.0
TL28	162	5	-60.0
TL28	209	5	-55.0
TL28	260	4	-51.0
TL28	311	3	-47.0
TL28	362	2	-43.0
TL28	413	1	-40.0
TL28	478.7	0	-38.0
TL29	0	360	-60.0
TL29	8	1	-59.0
TL29	59	1	-56.0
TL29	110	2	-53.0
TL29	161	0	-51.0
TL29	212	359	-47.0

Drill Hole	Depth (m)	Az	Dip
TL29	263	358	-44.0
TL29	314	357	-41.0
TL29	353	357	-40.0
TL29	354.5	357	-40.0
TL30	0	360	-45.0
TL30	20	360	-41.0
TL30	71	359	-40.0
TL30	122	357	-38.0
TL30	194	354	-32.0
TL30	195.4	354	-32.0
TL31	0	360	-45.0
TL31	14	1	-45.0
TL31	65	360	-42.0
TL31	116	360	-40.0
TL31	167	358	-36.0
TL31	209	358	-35.0
TL31	251	357	-33.0
TL31	257	357	-33.0
TL32	0	360	-65.0
TL32	12	360	-62.0
TL32	65	360	-61.0
TL32	116	359	-59.0
TL32	167	359	-55.0
TL32	218	357	-49.0
TL32	320	357	-43.0
TL33	0	360	-60.0
TL33	20	6	-59.0
TL33	80	359	-49.0
TL33	140	358	-44.5
TL33	200	356	-40.0
TL33	260	0	-38.5
TL33	320	0	-34.5
TL33	380	0	-28.0
TL33	382	0	-28.0
TL34	0	360	-66.0
TL34	50	2	-63.0
TL34	101	360	-59.0
TL34	152	1	-57.0
TL34	203	3	-56.0
TL34	254	4	-53.0
TL34	305	3	-51.0
TL34	356	4	-49.0
TL34	407	4	-47.0
TL34	461	4	-45.0
TL34	491	4	-44.0
TL35	0	360	-61.0
TL35	29	2	-59.0
TL35	80	1	-56.0

Drill Hole	Depth (m)	Az	Dip
TL35	131	1	-54.0
TL35	183	1	-52.0
TL35	233	360	-50.0
TL35	284	360	-48.0
TL35	335	360	-44.0
TL35	386	360	-42.0
TL35	399.8	360	-41.0
TL35	450	360	-41.0
TL36	0	360	-60.0
TL36	14	358	-60.0
TL36	65	360	-57.0
TL36	116	360	-54.0
TL36	167	360	-52.0
TL36	218	1	-49.0
TL36	269	1	-46.0
TL36	320	2	-44.0
TL36	371	1	-42.0
TL36	376.2	1	-42.0
TL37	0	330	-45.0
TL37	50	332	-45.0
TL37	101	331	-40.5
TL37	152	334	-36.0
TL38	0	360	-45.0
TL38	58	2	-39.0
TL38	98	4	-37.0
TL38	119	1	-37.0
TL38	120	1	-37.0
TL39	0	360	-80.0
TL39	23	359	-77.0
TL39	53	1	-75.5
TL39	104	359	-76.0
TL39	114	359	-76.0
TL39A	0	360	-70.0
TL39A	20	359	-67.5
TL39A	50	359	-69.0
TL39A	100	2	-68.0
TL39A	150	4	-68.0
TL39A	200	4	-68.0
TL39A	350	4	-59.0
TL39A	401	4	-57.0
TL39A	450	5	-55.0
TL39A	500	9	-53.0
TL39A	561	7	-53.0
TL39A	576	6	-53.0
TL40	0	360	-72.0
TL40	17	360	-71.0
TL40	50	360	-69.0
TL40	100	3	-71.0

Drill Hole	Depth (m)	Az	Dip
TL40	150	5	-67.0
TL40	200	5	-66.0
TL40	252	360	-63.0
TL40	300	1	-60.0
TL40	350	1	-58.0
TL40	402	1	-56.0
TL40	450	1	-50.0
TL40	500	1	-49.0
TL40	550	1	-49.0
TL40	562	1	-49.0
TL41	0	325	-45.0
TL41	18	329	-44.0
TL41	56	327	-42.0
TL41	105	324	-39.0
TL41	153	327	-35.0
TL41	200	328	-34.0
TL41	250	329	-31.0
TL41	309	340	-25.0
TL42	0	325	-47.0
TL42	27	328	-45.0
TL42	50	332	-44.0
TL42	100	330	-42.0
TL42	150	335	-38.0
TL42	200	337	-34.0
TL42	276	340	-27.0
TL43	0	360	-75.0
TL43	12	351	-73.0
TL43	50	358	-72.0
TL43	100	357	-71.0
TL43	150	358	-70.0
TL43	200	2	-68.0
TL43	250	2	-67.0
TL43	350	2	-65.0
TL43	400	2	-64.0
TL43	500	3	-55.0
TL43	580	357	-49.0
TL43	582	357	-49.0
TL44	0	360	-82.0
TL44	52	6	-81.0
TL44	88	7	-79.5
TL44	130	8	-77.5
TL44	170	8	-77.0
TL44	206	8	-76.5
TL44	242	8	-76.5
TL44	278	10	-75.0
TL44	314	10	-73.5
TL44	350	9	-73.0
TL44	386	9	-72.0

Drill Hole	Depth (m)	Az	Dip
TL44	422	6	-70.5
TL44	458	7	-67.0
TL44	498	5	-65.0
TL44	534	3.5	-62.5
TL44	570	2	-59.0
TL44	606	359	-55.0
TL44	642	355	-54.0
TL44	680	352	-53.0
TL45	0	360	-45.0
TL45	52	360	-44.0
TL45	73.6	360	-44.0
TL46	0	360	-45.0
TL46	49	358	-43.0
TL46	85	357	-41.5
TL46	116	357	-41.0
TL47	0	360	-48.0
TL47	82	359	-43.5
TL47	127	358	-41.5
TL47	131	358	-41.5
TL48	0	360	-56.0
TL48	49	358	-53.0
TL48	91	357	-52.5
TL48	133	357	-52.5
TL48	188	357	-52.5
TL49	0	360	-64.0
TL49	55	356	-60.0
TL49	136	356	-58.5
TL49	184	359	-57.0
TL49	203	359	-57.0
TL50	0	360	-45.0
TL50	64	1	-44.0
TL50	71	1	-44.0
TL51	0	360	-45.0
TL51	63	359	-42.5
TL51	67.4	359	-42.5
TL52	0	360	-45.0
TL52	49	359	-40.0
TL52	103	353	-36.5
TL52	107	353	-36.5
TL53	0	360	-45.0
TL53	52	357	-41.0
TL53	100	357	-40.0
TL53	104	357	-40.0
TL54	0	360	-45.0
TL54	55	357	-42.5
TL54	106	357	-39.5
TL54	148	353	-38.0
TL55	0	360	-57.0

Drill Hole	Depth (m)	Az	Dip
TL55	31	357	-52.0
TL55	67	355	-48.0
TL55	103	355	-46.0
TL55	133	355	-42.0
TL55	137	355	-42.0
TL56	0	360	-57.0
TL56	31	355	-53.0
TL56	67	355	-50.0
TL56	103	353	-48.0
TL56	161	352	-46.0
TL57	0	360	-45.0
TL57	49	357	-42.0
TL57	91	357	-41.5
TL57	95	357	-41.5
TL58	0	360	-61.0
TL58	35	355	-59.5
TL58	71	355	-57.5
TL58	107	354	-55.5
TL58	143	353	-52.5
TL58	191	352	-50.0
TL58	194	352	-50.0
TL59	0	360	-45.0
TL59	51	355	-44.0
TL59	77	352	-43.5
TL60	0	360	-45.0
TL60	52	357	-42.0
TL60	94	356	-41.5
TL60	95	356	-41.5
TL61	0	360	-45.0
TL61	49	1	-44.0
TL61	68	1.5	-43.5
TL62	0	360	-55.0
TL62	35	356	-53.0
TL62	71	355	-51.5
TL62	107	357	-49.0
TL62	140	355	-48.5
TL63	0	360	-45.0
TL63	49	358	-41.5
TL63	97	355	-39.5
TL63	122	354	-39.0
TL64	0	360	-55.0
TL64	35	354	-54.0
TL64	71	352	-52.0
TL64	110	351	-51.0
TL64	137	349	-50.0
TL64	138	349	-50.0
TL65	0	360	-45.0
TL65	49	358	-41.5

Drill Hole	Depth (m)	Az	Dip
TL65	91	356	-40.5
TL65	149	357	-39.5
TL66	0	360	-45.0
TL66	49	357	-41.5
TL66	97	359	-39.5
TL66	104	359	-39.5
TL66	155	352	-38.0
TL66	215	1	-38.0
TL66	275	360	-38.0
TL66	335	2	-36.5
TL67	0	360	-61.0
TL67	35	356	-57.5
TL67	71	354	-57.0
TL67	107	353	-55.0
TL67	143	353	-55.0
TL67	176	353	-55.0
TL68	0	360	-45.0
TL68	63	354	-41.0
TL68	68	354	-41.0
TL69	0	360	-58.0
TL69	35	357	-55.5
TL69	71	355	-55.0
TL69	107	355	-53.5
TL69	143	355	-52.5
TL70	0	360	-45.0
TL70	49	360	-41.0
TL70	102	360	-39.5
TL70	107	360	-39.5
TL71	0	360	-50.0
TL71	35	355	-47.0
TL71	71	356	-47.0
TL71	107	354.5	-46.0
TL71	143	353	-43.5
TL71	197	352	-40.0
TL71	227	351	-38.0
TL72	0	360	-45.0
TL72	50	2	-41.5
TL72	102	360	-40.0
TL72	107	360	-40.0
TL73	0	360	-45.0
TL73	36	358	-41.5
TL73	72	359	-40.0
TL73	108	358	-39.5
TL73	157	359	-39.5
TL73	161	359.5	-39.5
TL74	0	360	-55.0
TL74	35	355	-52.5
TL74	71	356	-51.0

Drill Hole	Depth (m)	Az	Dip
TL74	107	355	-49.0
TL74	140	355	-47.0
TL75	0	360	-45.0
TL75	36	359	-42.0
TL75	72	358	-41.5
TL75	77	358	-41.0
TL76	0	360	-54.0
TL76	35	355	-52.5
TL76	71	352	-47.5
TL76	107	352	-45.0
TL76	140	351	-45.0
TL77	0	360	-45.0
TL77	51	2	-42.0
TL77	107	2	-42.0
TL78	0	360	-55.0
TL78	38	359	-53.5
TL78	74	354	-51.0
TL78	110	353	-48.0
TL78	137	352	-44.0
TL78	141	352	-44.0
TL79	0	360	-62.0
TL79	38	358	-60.5
TL79	74	359	-60.0
TL79	110	359	-60.0
TL79	143	358	-59.0
TL79	182	358	-56.5
TL79	198	358	-56.5
TL80	0	360	-60.0
TL80	38	353	-58.0
TL80	74	356	-57.5
TL80	110	356	-57.0
TL80	148	355	-56.6
TL80	165	356	-51.0
TL80	210	356	-51.0
TL81	0	360	-62.0
TL81	35	358	-62.0
TL81	71	355	-61.5
TL81	107	354	-59.5
TL81	147	356	-59.5
TL81	179	356	-58.5
TL81	215	356	-56.5
TL81	251	355	-55.0
TL81	261	355	-55.0
TL82	0	360	-65.0
TL82	32	356	-65.0
TL82	68	357	-65.5
TL82	104	357	-62.5
TL82	140	356	-62.0

Drill Hole	Depth (m)	Az	Dip
TL82	170	356	-62.5
TL82	206	356	-60.5
TL82	257	354	-57.5
TL82	308	352	-55.5
TL82	312	352	-55.5
TL83	0	360	-65.0
TL83	32	357	-65.5
TL83	68	356	-62.5
TL83	104	355	-62.5
TL83	140	354	-62.0
TL83	176	353	-61.0
TL83	212	353	-60.0
TL83	248	353	-57.5
TL83	284	352	-54.0
TL83	326	352	-50.0
TL83	354	351	-48.0
TL84	0	360	-45.0
TL84	32	353	-44.0
TL84	68	352	-40.5
TL84	104	353	-41.0
TL84	146	354	-37.0
TL84	171	354	-37.0
TL85	0	360	-45.0
TL85	32	354	-44.0
TL85	74	355	-43.0
TL85	106	357	-40.0
TL85	110	357	-40.0
TL86	0	360	-45.0
TL86	35	357	-44.5
TL86	71	355	-40.0
TL86	113	355	-36.5
TL86	164	356	-36.0
TL86	168	356	-36.0
TL87	0	360	-45.0
TL87	32	357	-43.5
TL87	74	357	-43.5
TL87	104	356	-41.5
TL87	108	356	-41.5
TL88	0	360	-65.0
TL88	32	356	-65.0
TL88	74	353	-64.0
TL88	113	356	-66.0
TL88	152	356	-65.0
TL88	194	356	-63.5
TL88	236	356	-63.0
TL88	278	356	-61.0
TL88	320	353	-55.0
TL88	344	352	-54.0

Drill Hole	Depth (m)	Az	Dip
TL89	0	1	-69.0
TL89	32	357	-67.0
TL89	74	354	-65.0
TL89	116	354	-63.5
TL89	158	355	-61.0
TL89	200	354	-60.0
TL89	248	353	-55.5
TL89	290	353	-51.0
TL89	332	352	-49.0
TL89	371	352	-46.0
TL89	375	352	-46.0
TL90	0	3	-78.0
TL90	32	357	-77.5
TL90	74	1	-75.5
TL90	119	2	-73.0
TL90	158	1	-72.5
TL90	200	2	-71.5
TL90	242	2	-71.0
TL90	287	2	-70.0
TL90	326	2	-68.5
TL90	368	1	-66.0
TL90	410	1	-64.0
TL90	452	358	-60.5
TL90	494	357	-57.0
TL90	557	355	-54.5
TL90	561	355	-54.5
TL91	0	360	-45.0
TL91	32	356	-40.0
TL91	74	353	-35.0
TL91	116	351	-33.0
TL91	158	349	-32.5
TL91	183	348	-31.0
TL92	0	360	-45.0
TL92	32	359	-44.0
TL92	74	357	-41.0
TL92	116	357	-38.0
TL92	158	355	-36.5
TL92	185	354	-35.5
TL92	189	354	-35.5
TL93	0	360	-45.0
TL93	35	359	-42.0
TL93	77	358	-40.0
TL93	119	358	-41.0
TL93	167	360	-36.0
TL93	171	360	-36.0
TL94	0	360	-45.0
TL94	35	357	-45.5
TL94	77	356	-44.0

Drill Hole	Depth (m)	Az	Dip
TL94	116	358	-44.0
TL94	152	357	-40.0
TL94	156	357	-40.0
TL95	0	360	-45.0
TL95	35	355	-44.0
TL95	126	353	-40.5
TL96	0	360	-68.0
TL96	35	357	-65.0
TL96	77	356	-63.0
TL96	122	357	-62.0
TL96	164	357	-61.5
TL96	206	357	-59.0
TL96	248	357	-57.0
TL96	290	358	-55.0
TL96	332	358	-51.0
TL96	374	357	-50.0
TL96	407	356	-45.5
TL96	411	356	-45.0
TL97	0	360	-45.0
TL97	38	357	-45.0
TL97	74	357	-42.0
TL97	99	357	-42.0
TL98	0	360	-45.0
TL98	35	357	-44.0
TL98	66	357	-44.0
TL99	0	360	-45.0
TL99	35	2	-43.5
TL99	77	358	-42.0
TL99	119	358	-39.0
TL99	164	358	-37.0
TL99	171	358	-37.0
TL100	0	360	-58.0
TL100	35	358	-57.0
TL100	77	358	-56.0
TL100	119	360	-53.0
TL100	161	359	-51.5
TL100	165	359	-51.5
TL100	236	360	-43.5
TL100	296	1	-43.0
TL100	356	1	-40.0
TL100	416	3	-37.5
TL101	0	2	-73.0
TL101	35	357	-73.0
TL101	77	358	-73.5
TL101	119	359	-72.0
TL101	161	360	-70.0
TL101	203	357	-69.0
TL101	245	359	-68.5

Drill Hole	Depth (m)	Az	Dip
TL101	287	2	-67.0
TL101	329	360	-63.0
TL101	371	359	-58.5
TL101	413	357	-51.5
TL101	455	356	-48.0
TL101	477	355.5	-46.0
TL102	0	360	-60.0
TL102	35	359	-57.0
TL102	77	357	-55.0
TL102	119	357	-54.0
TL102	161	359	-50.5
TL102	203	357	-46.0
TL102	245	357	-41.0
TL102	276	357	-39.0
TL102	347	357	-36.5
TL102	407	359	-33.0
TL102	467	1	-28.0
TL102	527	2	-25.0
TL103	0	360	-67.0
TL103	35	357	-66.5
TL103	77	357	-66.0
TL103	119	358	-65.0
TL103	161	358	-62.0
TL103	203	359	-58.5
TL103	245	360	-56.0
TL103	261	360	-55.0
TL104	0	360	-67.0
TL104	35	357	-67.0
TL104	77	358	-65.0
TL104	119	359	-64.0
TL104	161	359	-63.5
TL104	203	360	-60.5
TL104	260	359	-60.0
TL104	264	359	-60.0
TL105	0	360	-61.0
TL105	35	357	-57.0
TL105	77	354	-48.5
TL105	119	356	-42.5
TL105	161	350	-41.0
TL105	215	353	-36.5
TL105	219	353	-35.0
TL106	0	360	-66.0
TL106	35	355	-64.5
TL106	77	355	-62.0
TL106	119	357	-61.0
TL106	161	358	-60.0
TL106	203	357	-58.0
TL106	245	357	-55.0

Drill Hole	Depth (m)	Az	Dip
TL106	261	357	-53.0
TL107	0	360	-68.0
TL107	35	356	-69.0
TL107	77	358	-67.5
TL107	119	359	-66.0
TL107	161	1	-63.0
TL107	203	1	-63.0
TL107	245	1	-60.0
TL107	261	1	-60.0
TL108	0	360	-70.0
TL108	35	352	-68.0
TL108	77	353	-66.0
TL108	119	353	-64.5
TL108	161	354	-63.5
TL108	203	353	-59.0
TL108	245	353	-54.5
TL108	287	353	-50.0
TL108	320	353	-49.0
TL108	324	353	-49.0
TL108	374	358	-46.0
TL108	431	355	-45.0
TL108	488	1	-40.5
TL109	0	360	-68.0
TL109	35	3	-68.0
TL109	77	1	-67.5
TL109	119	359	-66.0
TL109	161	358	-62.5
TL109	203	356	-56.0
TL109	245	355	-53.5
TL109	287	354	-51.0
TL109	321	353	-50.0
TL109	324	353	-50.0
TL110	0	360	-63.0
TL110	35	358	-63.0
TL110	77	357	-61.0
TL110	119	358	-58.0
TL110	161	359	-54.0
TL110	207	358	-53.0
TL110	225	358	-53.0
TL111	0	360	-45.0
TL111	50	360	-44.0
TL111	60.4	360	-44.0
TL112	0	360	-45.0
TL112	50	360	-45.0
TL112	60	360	-45.0
TL113	0	360	-45.0
TL113	50	360	-45.0
TL113	70.4	360	-45.0

Drill Hole	Depth (m)	Az	Dip
TL114	0	360	-45.0
TL114	50	360	-41.0
TL114	65	360	-41.0
TL115	0	360	-50.0
TL115	73	1	-47.0
TL115	75.3	1	-47.0
TL116	0	360	-50.0
TL116	78	359	-44.0
TL116	79.8	359	-44.0
TL117	0	360	-50.0
TL117	45	359	-49.5
TL117	50	359	-49.0
TL117	100	359	-47.0
TL117	100.3	359	-47.0
TL117	161	354	-39.5
TL117	221	357	-39.5
TL117	281	359	-38.5
TL117	341	360	-34.5
TL117	401	360	-32.0
TL118	0	360	-50.0
TL118	90.2	360	-50.0
TL119	0	360	-50.0
TL119	35	1	-50.0
TL119	71	360	-48.0
TL119	107	2	-43.0
TL119	109.9	2	-43.0
TL120	0	360	-55.0
TL120	46	2	-53.0
TL120	82	360	-50.0
TL120	112	360	-49.0
TL120	148	358	-46.0
TL120	150.2	358	-46.0
TL121	0	360	-60.0
TL121	34	4	-57.0
TL121	76	2	-56.0
TL121	127	1	-54.0
TL121	169	360	-54.0
TL121	208	360	-52.0
TL121	209.3	360	-52.0
TL122	0	360	-55.0
TL122	55	6	-54.5
TL122	91	5	-54.0
TL122	121	4.5	-52.0
TL122	145	4	-50.0
TL122	164.4	3	-49.0
TL123	0	360	-50.0
TL123	30	3	-50.0
TL123	66	360	-49.0

Drill Hole	Depth (m)	Az	Dip
TL123	102	1	-46.5
TL123	138	1	-46.0
TL123	140.2	1	-46.0
TL124	0	360	-50.0
TL124	30	2	-49.0
TL124	66	3	-45.0
TL124	102	5	-43.0
TL124	138	5	-41.0
TL124	140.3	5	-41.0
TL125	0	360	-68.0
TL125	31	358	-66.0
TL125	70	1	-63.0
TL125	121	2	-59.0
TL125	169	359.5	-53.0
TL125	217	357	-48.0
TL125	271	357	-45.0
TL125	319	356	-42.0
TL125	370	356	-38.0
TL125	421	352	-33.0
TL125	469	352	-31.0
TL125	520	352	-30.0
TL125	522.1	352	-30.0
TL126	0	360	-80.0
TL126	31	357	-80.0
TL126	79	359	-75.0
TL126	130	0.5	-75.0
TL126	142	2	-74.0
TL126	190	2	-70.0
TL126	239	1	-70.0
TL126	289	360	-67.0
TL126	340	358	-63.0
TL126	389	357	-58.0
TL126	439	357	-56.0
TL126	490	357	-55.0
TL126	539	357	-52.0
TL126	599	355	-51.0
TL126	600.5	355	-51.0
TL127	0	360	-80.0
TL127	31	352	-79.0
TL127	79	352	-79.0
TL127	131	351	-79.0
TL127	179	351	-75.0
TL127	229	350	-75.0
TL127	283	352	-73.0
TL127	331	352	-73.0
TL127	379	354	-71.0
TL127	430	355	-71.0
TL127	479	356	-70.0

Drill Hole	Depth (m)	Az	Dip
TL127	530	355	-68.0
TL127	599	355	-68.0
TL127	602	355	-68.0
TL128	0	360	-81.0
TL128	18	355	-80.0
TL128	50	359	-78.5
TL128	100	1	-77.0
TL128	150	3	-76.0
TL128	200	1	-75.5
TL128	250	3	-75.0
TL128	300	4	-75.0
TL128	350	4	-75.0
TL128	400	4	-72.0
TL128	450	3	-71.0
TL128	500	2	-70.0
TL128	510	2	-70.0
TL129	0	360	-87.0
TL129	49	357	-85.0
TL129	101	354	-85.0
TL129	151	359	-83.0
TL129	197	2	-82.0
TL129	249	2	-81.0
TL129	301	4	-78.0
TL129	349	3	-77.0
TL129	398	2	-76.0
TL129	449	4	-75.0
TL129	486	4	-75.0
TL130	0	360	-77.0
TL130	50	1	-75.0
TL130	101	3	-73.0
TL130	152	2	-72.5
TL130	200	2	-71.0
TL130	248	2	-72.0
TL130	299	2	-70.0
TL130	346	3	-69.0
TL130	398	2	-69.0
TL130	446	2	-65.0
TL130	496	1	-61.0
TL130	522	1	-59.0
TL131	0	360	-86.0
TL131	53	354	-82.0
TL131	99	355	-81.0
TL131	149	354	-80.5
TL131	199	354	-79.0
TL131	251	357	-79.0
TL131	299	355	-76.5
TL131	350	355	-75.0
TL131	401	353	-68.5

Drill Hole	Depth (m)	Az	Dip
TL131	449	353	-65.5
TL131	494	352	-59.0
TL131	495	352	-59.0
TL132	0	360	-76.0
TL132	49	359	-70.0
TL132	101	360	-70.0
TL132	149	360	-69.0
TL132	200	359	-66.5
TL132	251	3	-62.0
TL132	299	360	-58.0
TL132	353	358	-53.0
TL132	401	357	-52.0
TL132	405	357	-52.0
TL133	0	360	-85.0
TL133	30	7	-81.5
TL133	60	7	-80.5
TL133	90	8	-79.5
TL133	150	11	-78.0
TL133	200	14	-76.0
TL133	250	15	-75.5
TL133	300	16	-74.5
TL133	350	14	-72.5
TL133	400	13	-71.5
TL133	450	11	-68.5
TL133	500	7	-67.0
TL133	550	10	-66.0
TL133	600	6.5	-64.0
TL133	650	5	-62.0
TL133	689	5	-61.0
TL134	0	360	-83.0
TL134	50	356	-81.0
TL134	100	358	-81.0
TL134	150	359	-79.0
TL134	200	358	-79.0
TL134	250	2	-78.0
TL134	300	5	-77.0
TL134	350	5	-75.0
TL134	400	4	-73.0
TL134	450	7	-72.0
TL134	500	7	-70.0
TL134	551	9	-69.5
TL134	602	8	-67.5
TL134	650	10	-65.0
TL134	701	7	-64.0
TL134	749	7	-63.0
TL134	802	6	-62.0
TL134	809	6	-62.0
TL135	0	360	-83.0

Drill Hole	Depth (m)	Az	Dip
TL135	32	357	-83.0
TL135	50	355	-82.5
TL135	101	359	-82.0
TL135	152	358	-81.0
TL135	203	359	-80.0
TL135	251	358	-79.0
TL135	302	358	-78.5
TL135	350	359	-78.0
TL135	401	357	-78.0
TL135	455	353	-77.0
TL135	503	352	-75.0
TL135	551	353	-75.0
TL135	599	352	-74.0
TL135	650	350	-73.0
TL135	698	351	-72.0
TL135	752	350	-70.0
TL135	802	352	-69.0
TL135	851	354	-69.0
TL135	866	354	-68.0
TL136	0	360	-83.0
TL136	20	357	-83.0
TL136	50	357	-82.0
TL136	101	355	-81.5
TL136	152	357	-80.5
TL136	200	358	-80.0
TL136	254	357	-78.5
TL136	302	358	-74.5
TL136	353	357	-70.0
TL136	401	354	-67.0
TL136	452	353	-60.0
TL136	500	353	-56.0
TL136	554	351	-53.5
TL136	602	351	-53.0
TL136	638	351	-51.0
TL137	0	360	-90.0
TL137	23	337	-89.0
TL137	50	87	-89.0
TL137	101	67	-88.0
TL137	149	67	-86.0
TL137	197	57	-85.0
TL137	203	37	-86.5
TL137	218	37	-86.0
TL137	251	37	-86.0
TL137	299	31	-86.0
TL137	350	31	-85.0
TL137	401	29	-84.0
TL137	450	32	-83.5
TL137	500	22	-82.0

Drill Hole	Depth (m)	Az	Dip
TL137	551	22	-80.5
TL137	601	18	-78.0
TL137	650	13	-77.5
TL137	701	14	-75.5
TL137	749	13	-74.5
TL137	787.2	17	-74.0
TL138	0	360	-90.0
TL138	14	360	-89.5
TL138	50	360	-89.5
TL138	101	337	-89.0
TL138	152	25	-89.0
TL138	200	13	-88.0
TL138	251	10	-87.5
TL138	299	7	-88.0
TL138	350	356	-88.0
TL138	400	15	-85.5
TL138	452	10	-85.5
TL138	500	19	-83.5
TL138	551	17	-81.5
TL138	602	12	-81.0
TL138	650	11	-79.0
TL138	701	12	-77.5
TL138	707	12	-77.5
TL139	0	360	-70.0
TL139	20	359	-70.0
TL139	50	357	-69.5
TL139	101	357	-68.0
TL139	152	360	-66.0
TL139	200	356	-65.5
TL139	251	357	-65.0
TL139	299	355	-64.0
TL139	350	354	-63.0
TL139	401	357	-63.0
TL139	449	355	-62.0
TL139	503	356	-61.0
TL139	551	354	-60.0
TL139	599	356	-59.5
TL139	662	358	-59.0
TL140	0	360	-70.0
TL140	23	360	-69.5
TL140	50	360	-69.5
TL140	101	360	-68.0
TL140	152	353	-66.0
TL140	200	359	-64.5
TL140	254	357	-63.5
TL140	302	357	-62.5
TL140	350	356	-61.0
TL140	401	354	-59.5

Drill Hole	Depth (m)	Az	Dip
TL140	449	353	-55.0
TL140	503	351	-53.0
TL140	551	351	-50.0
TL140	587	351	-48.0
TL141	0	360	-70.0
TL141	20	356	-70.0
TL141	50	356	-69.0
TL141	101	357	-68.0
TL141	152	359	-67.5
TL141	200	360	-66.5
TL141	248	1	-66.0
TL141	302	1	-65.0
TL141	350	1	-65.0
TL141	398	1	-64.5
TL141	448	5	-63.0
TL141	500	6	-62.0
TL142	0	360	-69.0
TL142	56	354	-67.0
TL142	100	357	-66.0
TL142	149	357	-65.0
TL142	200	357	-64.0
TL142	248	356	-62.5
TL142	299	355	-61.5
TL142	351	354	-60.5
TL143	0	360	-50.0
TL143	14	359	-49.5
TL143	62	360	-48.5
TL143	110	359	-48.5
TL143	158	360	-48.5
TL143	200	1	-48.0
TL144	0	360	-50.0
TL144	16	357	-48.5
TL144	64	356	-48.5
TL144	116	357	-44.0
TL144	160	356	-43.5
TL144	179	356	-43.5
TL145	0	360	-64.0
TL145	16	354	-63.5
TL145	66	355	-61.5
TL145	116	353	-60.0
TL145	166	353	-59.0
TL145	216	353	-58.0
TL145	266	352	-57.0
TL145	275	352	-57.0
TL146	0	358	-65.0
TL146	19	357	-63.0
TL146	69	358	-62.0
TL146	119	357	-61.5

Drill Hole	Depth (m)	Az	Dip
TL146	169	357	-60.5
TL146	219	359	-60.0
TL146	269	358	-59.5
TL146	319	359	-59.0
TL146	323	359	-59.0
TL147	0	360	-50.0
TL147	10	356	-48.0
TL147	62	355	-47.5
TL147	110	355	-47.0
TL147	158	354	-45.5
TL147	206	354	-44.5
TL147	220	354	-44.5
TL148	0	360	-50.0
TL148	23	355	-45.0
TL148	68	355	-44.0
TL148	116	356	-42.0
TL148	125	356	-42.0
TL149	0	360	-60.0
TL149	17	356	-59.0
TL149	65	355	-59.0
TL149	113	355	-57.5
TL149	161	357	-55.5
TL149	209	356	-55.0
TL149	257	356	-53.0
TL149	305	354	-51.0
TL149	326	355	-50.0
TL150	0	360	-65.0
TL150	14	355	-64.5
TL150	62	355	-63.5
TL150	110	355	-62.5
TL150	158	354	-61.0
TL150	206	355	-59.5
TL150	254	355	-57.5
TL150	320	354	-55.5
TL151	0	360	-85.0
TL151	16	356	-84.0
TL151	66	357	-83.5
TL151	116	356	-83.0
TL151	166	355	-82.5
TL151	216	354	-82.0
TL151	266	356	-82.0
TL151	316	354	-82.0
TL151	366	356	-81.5
TL151	416	356	-81.0
TL151	466	355	-80.0
TL151	516	356	-80.0
TL151	557	358	-79.5
TL152	0	360	-65.0

Drill Hole	Depth (m)	Az	Dip
TL152	20	359	-63.0
TL152	68	359	-62.0
TL152	116	359	-60.5
TL152	164	359	-59.0
TL152	212	359	-58.0
TL152	260	360	-58.0
TL152	310	359.5	-57.0
TL152	310.3	359.5	-57.0
TL153	0	360	-60.0
TL153	16	356	-60.0
TL153	64	357	-60.0
TL153	112	356	-59.0
TL153	160	356	-58.5
TL153	208	356	-58.0
TL153	256	356	-57.0
TL153	299	356	-57.0
TL154	0	360	-79.0
TL154	13	358	-79.0
TL154	63	355.5	-78.0
TL154	113	353	-76.5
TL154	213	358	-75.5
TL154	263	358	-75.0
TL154	313	359	-74.5
TL154	366	360	-73.5
TL154	413	359	-72.5
TL154	419	359	-72.5
TL155	0	320	-48.0
TL155	25	321	-48.5
TL155	69	322	-44.5
TL155	119	324	-44.5
TL155	169	325.5	-42.0
TL155	219	327	-40.5
TL155	269	328	-39.0
TL155	319	329	-38.0
TL155	358	330	-38.0
TL155	397	331	-37.0
TL156	0	360	-69.0
TL156	13	353	-68.5
TL156	63	353	-68.0
TL156	113	355	-67.0
TL156	163	355	-66.5
TL156	213	355	-65.5
TL156	263	355	-64.5
TL156	313	354	-63.5
TL156	347	354	-62.0
TL157	0	320	-48.0
TL157	20	321.5	-47.5
TL157	70	323	-47.5

Drill Hole	Depth (m)	Az	Dip
TL157	120	324.5	-44.0
TL157	170	326	-46.0
TL157	220	327	-42.0
TL157	270	328	-43.5
TL157	308	329	-42.0
TL158	0	360	-72.0
TL158	11	358	-78.0
TL158	61	356	-71.5
TL158	111	357	-71.0
TL158	161	357	-70.5
TL158	211	357	-70.0
TL158	261	357	-69.5
TL158	311	358	-68.5
TL158	361	358	-68.0
TL158	411	357	-66.5
TL158	452	357	-66.0
TL159	0	320	-48.0
TL159	13	322.5	-48.0
TL159	63	325	-48.0
TL159	113	327	-46.0
TL159	163	329	-46.5
TL159	213	329.5	-45.0
TL159	263	330	-44.5
TL159	300	332	-43.5
TL160	0	320	-55.0
TL160	14	323	-55.0
TL160	64	326	-53.5
TL160	114	327.5	-52.0
TL160	164	329	-51.5
TL160	214	330	-50.0
TL160	264	331	-49.0
TL160	314	332.5	-48.0
TL160	364	334	-47.5
TL160	401	335.5	-47.5
TL161	0	360	-72.0
TL161	14	355	-71.0
TL161	64	355	-70.0
TL161	114	355	-70.0
TL161	164	358	-70.0
TL161	214	358	-70.0
TL161	264	358	-69.0
TL161	314	358	-68.5
TL161	364	359	-68.5
TL161	386	359	-68.5
TL162	0	320	-48.0
TL162	5	320.5	-48.5
TL162	50	321	-48.5
TL162	100	322.5	-48.0

Drill Hole	Depth (m)	Az	Dip
TL162	150	324	-48.0
TL162	200	326	-48.0
TL163	0	320	-48.0
TL163	50	327	-47.5
TL163	100	327.5	-46.0
TL163	150	328	-46.0
TL163	200	329	-45.0
TL163	250	330	-44.0
TL163	300	332	-43.0
TL163	374	334	-42.0
TL163	374.5	334	-42.0
TL164	0	360	-67.0
TL164	10	4	-66.5
TL164	61	360	-66.0
TL164	111	1	-65.0
TL164	161	1	-65.0
TL164	211	2	-64.0
TL164	261	3	-63.5
TL164	311	2	-63.0
TL164	362	3	-63.0
TL164	406	3	-63.5
TL165	0	320	-48.0
TL165	8	324	-48.0
TL165	60	328	-46.5
TL165	110	329	-45.5
TL165	160	330	-45.0
TL165	210	330.5	-44.5
TL165	250	331	-44.0
TL165	299	331	-43.5
TL166	0	360	-62.0
TL166	13	358	-61.5
TL166	63	357	-61.5
TL166	113	359	-61.5
TL166	163	360	-61.0
TL166	213	360	-61.0
TL166	263	360	-60.0
TL166	313	1	-59.0
TL166	363	4	-58.0
TL166	410	3	-57.0
TL166	416	3	-57.0
TL167	0	320	-48.0
TL167	13	322	-48.0
TL167	63	324	-47.0
TL167	113	325	-46.5
TL167	163	326	-45.5
TL167	213	326.5	-44.0
TL167	263	327	-43.0
TL167	313	328	-42.0

Drill Hole	Depth (m)	Az	Dip
TL167	341	329	-41.5
TL167	386	330	-41.0
TL168	0	320	-48.0
TL168	4	325.5	-47.0
TL168	54	331	-47.0
TL168	104	331.5	-46.0
TL168	134	332	-45.0
TL168	176	332	-44.5
TL169	0	320	-48.0
TL169	8	325	-50.0
TL169	58	330	-48.5
TL169	108	324	-47.0
TL169	158	328	-46.0
TL169	208	329	-45.0
TL169	277	330	-44.0
TL169	277.5	330	-44.0
TL170	0	360	-68.0
TL170	14	358	-66.5
TL170	64	355	-61.0
TL170	113	358	-60.5
TL170	164	359	-59.5
TL170	214	359	-59.0
TL170	264	357	-58.5
TL170	314	355	-58.0
TL170	364	358	-56.5
TL170	414	358	-56.5
TL170	464	2	-54.5
TL170	494	2	-54.5
TL171	0	320	-48.0
TL171	8	324.5	-48.0
TL171	58	329	-46.5
TL171	108	329	-45.5
TL171	152	329	-45.0
TL172	0	320	-48.0
TL172	5	323	-48.0
TL172	50	326	-48.0
TL172	104	327.5	-47.0
TL172	150	329	-47.0
TL172	204	330	-46.0
TL172	250	331	-46.5
TL172	299	332	-46.0
TL173	0	360	-75.0
TL173	13	345	-74.0
TL173	63	346	-73.5
TL173	113	349	-73.5
TL173	163	345	-73.0
TL173	212	347	-73.5
TL173	263	349	-72.0

Drill Hole	Depth (m)	Az	Dip
TL173	314	348	-71.5
TL173	362	351	-70.0
TL173	413	351	-70.0
TL173	464	351	-69.5
TL173	513	352	-68.0
TL173	554	352	-67.5
TL174	0	360	-75.0
TL174	9	353	-74.0
TL174	58	354	-74.5
TL174	108	356	-74.0
TL174	158	357	-74.0
TL174	207	354	-73.5
TL174	258	356	-72.0
TL174	309	357	-71.5
TL174	358	358	-71.0
TL174	387	357	-70.5
TL174	390	357	-70.5
TL175	0	360	-69.0
TL175	10	354	-67.5
TL175	60	355	-66.5
TL175	110	1	-66.5
TL175	160	358	-65.5
TL175	210	2	-65.5
TL175	260	359	-65.0
TL175	310	2	-64.0
TL175	360	2	-63.5
TL175	410	359	-63.0
TL175	460	1	-62.0
TL175	510	2	-60.5
TL175	560	2	-59.0
TL175	610	2	-58.0
TL175	643	3	-58.0
TL175	643.4	3	-58.0
TL176	0	300	-65.0
TL176	7	356	-63.0
TL176	57	355	-62.5
TL176	107	356	-60.5
TL176	134	356	-60.5
TL177	0	360	-65.0
TL177	13	1	-63.0
TL177	63	2	-62.5
TL177	113	360	-62.5
TL177	163	360	-61.5
TL177	203	359	-60.5
TL178	0	360	-65.0
TL178	7	1	-63.5
TL178	57	359	-63.5
TL178	107	358	-63.0

Drill Hole	Depth (m)	Az	Dip
TL178	152	358	-62.5
TL179	0	360	-65.0
TL179	13	348	-62.5
TL179	63	347	-62.0
TL179	113	347	-61.5
TL179	163	346	-60.5
TL179	213	347	-57.5
TL179	263	347	-57.0
TL179	313	346	-56.0
TL179	359	346	-53.5
TL180	0	360	-65.0
TL180	13	360	-61.0
TL180	63	359	-60.0
TL180	113	359	-58.5
TL180	163	359	-57.0
TL180	197	357	-56.0
TL181	0	360	-69.0
TL181	14	7	-69.0
TL181	65	8	-68.0
TL181	116	4	-67.0
TL181	161	3	-66.0
TL181	218	9	-65.5
TL181	269	5	-65.0
TL181	320	360	-66.0
TL181	371	4	-63.5
TL181	422	360	-62.5
TL181	473	4	-61.5
TL181	523	7	-60.0
TL181	575	6	-59.0
TL181	625	10	-58.0
TL181	638	10	-58.0
TL182	0	360	-65.0
TL182	7	357	-64.5
TL182	57	357	-64.0
TL182	107	360	-63.5
TL182	157	356	-62.0
TL182	207	355	-62.0
TL182	257	356	-60.0
TL182	275	356	-60.0
TL183	0	360	-77.0
TL183	5	355	-76.0
TL183	55	354	-75.0
TL183	105	355	-73.5
TL183	155	356	-73.0
TL183	205	357	-72.0
TL183	255	357	-71.0
TL183	305	357	-70.5
TL183	355	355	-69.0

Drill Hole	Depth (m)	Az	Dip
TL183	405	356	-68.0
TL183	455	356	-66.5
TL183	461	356	-66.5
TL184	0	360	-80.0
TL184	13	1	-79.0
TL184	63	1	-76.5
TL184	113	5	-75.0
TL184	163	9	-75.0
TL184	213	9	-73.0
TL184	263	5	-72.5
TL184	313	7	-73.0
TL184	363	9.5	-72.5
TL184	413	12	-71.0
TL184	463	9	-69.5
TL184	513	11	-68.5
TL184	563	17	-68.0
TL184	613	13	-66.0
TL184	663	12	-65.5
TL184	713	20	-64.0
TL184	761	16	-63.0
TL185	0	360	-58.0
TL185	16	353	-57.0
TL185	60	353	-57.0
TL185	116	355	-55.5
TL185	166	355	-54.5
TL185	180.7	355	-54.5
TL186	0	360	-50.0
TL186	14	358	-49.5
TL186	64	357	-48.0
TL186	114	357	-47.0
TL186	164	356	-45.0
TL186	214	359	-43.0
TL186	234.8	359	-43.0
TL187	0	360	-55.0
TL187	20	359	-52.0
TL187	70	359	-49.0
TL187	120	359	-48.0
TL187	170	359.5	-46.0
TL187	220	360	-45.0
TL187	230	360	-45.0
TL188	0	360	-74.0
TL188	17	355	-73.0
TL188	67	356	-72.5
TL188	117	354	-72.0
TL188	167	355	-71.0
TL188	217	360	-70.5
TL188	267	359	-70.0
TL188	317	360	-69.5

Drill Hole	Depth (m)	Az	Dip
TL188	367	360	-67.5
TL188	417	1	-67.0
TL188	461	2	-66.3
TL188	476	2	-65.6
TL188	488	1	-65.0
TL188	542	1	-63.4
TL188	572	4	-63.0
TL188	622	4	-59.1
TL188	672	1	-55.3
TL188	722	360	-52.6
TL188	731	360	-52.6
TL189	0	360	-48.0
TL189	7	360	-49.0
TL189	50	360	-48.0
TL189	80	360	-48.0
TL190	0	360	-48.0
TL190	7	360	-48.0
TL190	59	360	-47.5
TL190	71	360	-47.5
TL191	0	360	-48.0
TL191	8	360	-48.0
TL191	59	360	-47.0
TL191	71	360	-47.0
TL192	0	360	-48.0
TL192	8	360	-48.0
TL192	59	359	-48.0
TL192	71	359	-48.0
TL193	0	360	-48.0
TL193	11	359	-47.0
TL193	61	357	-45.0
TL193	75.2	357	-45.0
TL194	0	360	-48.0
TL194	11	358	-46.0
TL194	61	359	-45.0
TL194	80	359	-45.0
TL195	0	360	-48.0
TL195	14	358	-46.0
TL195	64	358	-46.0
TL195	80	358	-46.0
TL196	0	360	-80.0
TL196	20	352	-79.0
TL196	70	353	-78.8
TL196	120	355	-77.3
TL196	170	355	-76.5
TL196	220	357	-76.0
TL196	270	357	-75.7
TL196	320	358	-74.7
TL196	370	359	-73.2

Drill Hole	Depth (m)	Az	Dip
TL196	422	358	-71.0
TL196	470	359	-69.5
TL196	520	359	-68.0
TL196	560	359	-67.0
TL197	0	3	-75.0
TL197	26	360	-74.0
TL197	76	1	-72.5
TL197	126	4	-71.5
TL197	176	4	-71.0
TL197	226	3	-70.5
TL197	276	4	-70.0
TL197	326	5	-70.0
TL197	376	4	-69.0
TL197	426	6	-69.0
TL197	476	4	-68.0
TL197	526	4	-67.0
TL197	576	5	-66.0
TL197	626	7	-65.0
TL197	676	7	-62.5
TL197	726	8	-62.0
TL197	734	8	-62.0
TL198	0	360	-89.0
TL198	20	352	-89.0
TL198	70	352	-88.5
TL198	120	347	-88.0
TL198	170	352	-88.0
TL198	220	337	-88.0
TL198	270	355	-87.0
TL198	320	1	-84.5
TL198	370	2	-84.0
TL198	420	8	-83.5
TL198	470	10	-80.0
TL198	520	11	-78.0
TL198	570	10	-77.0
TL198	620	9	-76.0
TL198	670	9	-75.0
TL198	720	9	-75.0
TL198	771	9	-73.0
TL199	0	360	-75.0
TL199	17	356	-74.0
TL199	67	356	-74.0
TL199	117	356	-73.5
TL199	167	358	-71.5
TL199	217	1	-66.0
TL199	267	359	-63.0
TL199	317	359	-62.0
TL199	367	359	-60.5
TL199	392	359	-60.0

Drill Hole	Depth (m)	Az	Dip
TL200	0	360	-75.0
TL200	14	358	-74.0
TL200	64	356	-73.0
TL200	114	355	-71.5
TL200	164	354	-69.5
TL200	214	353	-67.5
TL200	264	354	-66.5
TL200	314	354	-65.0
TL200	335	354	-65.0
TL201	0	360	-76.0
TL201	17	358	-75.0
TL201	67	359	-73.5
TL201	117	358	-72.5
TL201	167	359	-71.0
TL201	217	359	-70.0
TL201	267	359	-69.5
TL201	320	358	-69.0
TL202	0	360	-71.0
TL202	7	357	-70.0
TL202	57	358	-69.0
TL202	107	359	-68.0
TL202	157	358	-67.5
TL202	207	359	-67.0
TL202	257	358	-66.0
TL202	307	358	-65.0
TL202	357	358	-63.5
TL202	407	0	-63.0
TL202	457	0	-63.5
TL202	507	1	-62.0
TL202	559.9	0	-61.0
TL203	0	360	-73.0
TL203	7	355	-73.0
TL203	57	355	-72.5
TL203	107	352	-71.5
TL203	157	354	-71.0
TL203	207	352	-70.5
TL203	257	352	-69.5
TL203	307	353	-69.0
TL203	357	352	-68.0
TL203	411	353	-67.0
TL203	425	353	-67.0
TL204	0	360	-86.0
TL204	17	342	-86.0
TL204	67	342	-86.0
TL204	117	344	-85.0
TL204	167	342	-84.0
TL204	217	357	-84.0
TL204	267	357	-82.0

Drill Hole	Depth (m)	Az	Dip
TL204	317	359	-81.0
TL204	367	2	-79.0
TL204	417	4	-76.5
TL204	467	4	-75.0
TL204	517	5	-74.0
TL204	567	4	-73.0
TL204	599	6	-72.0
TL205	0	360	-80.0
TL205	17	356	-79.0
TL205	67	356	-78.5
TL205	117	357	-77.5
TL205	167	355	-77.0
TL205	217	354	-76.5
TL205	267	355	-75.0
TL205	317	353	-74.5
TL205	367	354	-74.0
TL205	417	355	-72.5
TL205	473	356	-71.5
TL205	502.2	354	-69.0
TL206	0	320	-75.0
TL206	23	324	-74.0
TL206	73	324.5	-72.0
TL206	123	325	-72.0
TL206	173	328	-71.0
TL206	223	327	-70.5
TL206	273	328	-69.5
TL206	323	329	-68.0
TL206	373	329	-67.5
TL206	423	331	-67.0
TL206	452	331	-67.0
TL206	464	332	-65.0
TL206	476	332	-63.0
TL206	488	333	-61.0
TL206	500	333	-59.0
TL206	510	334	-57.0
TL206	612	334	-56.0
TL206	618	334	-56.0
TL207	0	320	-80.0
TL207	24	324	-79.0
TL207	81	327	-77.5
TL207	126	331	-76.0
TL207	180	329	-75.0
TL207	230	334	-72.0
TL207	282	336	-68.0
TL207	333	335	-66.5
TL207	337	337	-65.0
TL207	440	338	-63.0
TL207	480	337	-61.5

Drill Hole	Depth (m)	Az	Dip
TL207	522	337	-59.5
TL207	576	338	-59.0
TL207	630	341	-58.5
TL207	642	341	-58.5
TL208	0	320	-84.0
TL208	50	327	-82.5
TL208	100	326	-82.0
TL208	150	327	-82.0
TL208	200	330	-82.0
TL208	250	334	-79.5
TL208	300	333	-78.5
TL208	400	333	-75.5
TL208	450	337	-75.0
TL208	500	336	-74.0
TL208	550	335	-67.5
TL208	600	339	-67.0
TL208	650	339.5	-68.0
TL208	700	340	-64.0
TL208	750	337	-57.0
TL208	801	336	-57.0
TL209	0	352	-76.0
TL209	6	351	-75.0
TL209	51	351	-74.5
TL209	102	352	-74.0
TL209	150	351.5	-74.0
TL209	200	351	-73.0
TL209	250	351	-72.0
TL209	300	350	-71.5
TL209	350	353	-71.0
TL209	400	352	-70.0
TL209	450	351	-69.0
TL209	501	352	-67.5
TL209	550	350	-66.5
TL209	600	352	-66.0
TL209	650	351	-65.0
TL209	702	351	-64.0
TL209	750	351	-63.5
TL210	0	356	-51.0
TL210	101	356	-51.0
TL211	0	360	-70.0
TL211	50	358	-67.5
TL211	100	357	-66.5
TL211	150	360	-66.0
TL211	200	359	-64.0
TL211	250	358	-62.0
TL211	264	358	-62.0
TL212	0	360	-70.0
TL212	51	359	-68.0

Drill Hole	Depth (m)	Az	Dip
TL212	102	357	-67.0
TL212	150	1	-65.5
TL212	200	360	-64.5
TL212	267	360	-62.0
TL213	0	320	-50.0
TL213	6	328	-49.0
TL213	50	327	-46.5
TL213	102	328	-44.0
TL213	150	329	-43.0
TL213	200	334	-40.5
TL213	240	337	-39.5
TL214	0	320	-50.0
TL214	6	329	-49.0
TL214	51	327	-47.0
TL214	102	331	-46.0
TL214	150	332	-45.0
TL214	201	334	-44.0
TL214	294	335	-42.0
TL215	0	320	-50.0
TL215	12	328	-49.0
TL215	252	327	-47.0
TL215	255.6	327	-47.0
TL216	0	360	-45.0
TL216	3	360	-45.0
TL216	60	360	-40.0
TL217	0	320	-50.0
TL217	51	324	-50.0
TL217	100	325	-48.5
TL217	150	326	-47.5
TL217	204	327	-47.0
TL217	250	331	-46.0
TL217	300	331	-45.5
TL218	0	360	-45.0
TL218	12	359	-43.0
TL218	66	359	-40.0
TL219	0	360	-45.0
TL219	9	359	-43.0
TL219	60	359	-41.0
TL220	0	360	-45.0
TL220	18	359	-43.0
TL220	66	358	-41.0
TL221	0	360	-45.0
TL221	21	358	-41.0
TL221	51	360	-39.0
TL222	0	360	-45.0
TL222	21	358	-41.0
TL222	66	360	-39.0
TL223	0	360	-45.0

Drill Hole	Depth (m)	Az	Dip
TL223	15	359	-45.0
TL223	60	358	-41.0
TL224	0	320	-50.0
TL224	6	324	-47.5
TL224	50	328	-45.5
TL224	100	330	-44.0
TL224	150	332	-41.5
TL224	200	335	-39.5
TL224	250	339	-38.0
TL224	300	340	-34.5
TL225	0	360	-50.0
TL225	9	360	-49.0
TL225	50	357	-47.0
TL225	96	356	-43.0
TL226	0	360	-50.0
TL226	12	354	-48.0
TL226	50	351	-47.0
TL226	90	351	-45.5
TL227	0	360	-50.0
TL227	6	356	-49.0
TL227	50	354	-47.0
TL227	102	354	-46.0
TL228	0	320	-50.0
TL228	18	330	-50.0
TL228	50	328	-48.0
TL228	100	330	-46.0
TL228	150	332	-45.0
TL228	200	333	-43.5
TL228	250	334	-42.0
TL228	300	336	-40.0
TL229	0	360	-50.0
TL229	9	358	-48.0
TL229	50	355	-46.0
TL229	105	353	-44.0
TL230	0	360	-50.0
TL230	12	358	-47.0
TL230	50	356	-46.0
TL230	102	356	-44.0
TL231	0	360	-50.0
TL231	12	358	-47.0
TL231	50	356	-46.0
TL231	95.5	356	-44.0
TL232	0	360	-50.0
TL232	9	358.5	-50.0
TL232	50	357	-45.0
TL232	95	360	-43.0
TL232	96	360	-43.0
TL233	0	320	-50.0

Drill Hole	Depth (m)	Az	Dip
TL233	50	325	-47.0
TL233	100	326	-45.0
TL233	150	327	-43.5
TL233	200	329	-42.5
TL233	250	330	-41.0
TL233	250.2	330	-41.0
TL234	0	360	-50.0
TL234	18	360	-49.0
TL234	50	360	-48.0
TL234	102	360	-42.0
TL235	0	320	-50.0
TL235	9	324	-49.0
TL235	100	329	-42.0
TL235	150	330	-40.0
TL235	200	332	-36.5
TL235	200.2	332	-36.5
TL236	0	360	-55.0
TL236	10	359	-53.5
TL236	51	2	-52.0
TL236	120	2	-50.0
TL237	0	320	-50.0
TL237	100	332	-43.0
TL237	200	342	-39.5
TL237	252	342	-39.5
TL238	0	360	-60.0
TL238	12	359	-59.5
TL238	50	2	-59.0
TL238	100	2	-57.5
TL238	150	359	-56.0
TL239	0	360	-60.0
TL239	4	1	-60.0
TL239	51	1	-59.0
TL239	100	1	-56.5
TL239	150	360	-55.0
TL240	0	320	-50.0
TL240	50	327	-45.5
TL240	100	328.5	-42.0
TL240	150	330	-44.0
TL240	201	333	-36.0
TL241	0	360	-55.0
TL241	4	359	-54.5
TL241	51	358	-53.5
TL241	100	358	-52.0
TL241	126	358	-52.0
TL242	0	360	-60.0
TL242	6	359	-58.0
TL242	51	358	-58.0
TL242	100	357	-56.0

Drill Hole	Depth (m)	Az	Dip
TL242	150	356	-55.0
TL243	0	320	-50.0
TL243	50	320	-45.0
TL243	100	320	-43.5
TL243	150	320	-42.0
TL243	200	320	-39.0
TL243	250	320	-38.0
TL243	252	320	-38.0
TL244	0	360	-60.0
TL244	6	359	-59.5
TL244	50	358	-58.0
TL244	100	357	-56.0
TL244	150	356	-54.5
TL244	171	355	-53.5
TL245	0	320	-50.0
TL245	10.5	320	-48.0
TL245	50	320	-47.0
TL245	100	320	-40.0
TL245	150	320	-39.0
TL245	200	320	-37.0
TL245	250	320	-34.0
TL245	300	320	-32.0
TL246	0	360	-55.0
TL246	12	353	-54.5
TL246	50	355	-53.0
TL246	100	356	-52.0
TL246	135	355	-52.0
TL247	0	360	-55.0
TL247	6	355	-53.5
TL247	50	357	-53.0
TL247	100	357	-52.0
TL247	126	357	-52.0
TL248	0	320	-50.0
TL248	6	323	-47.0
TL248	50	325	-44.5
TL248	100	328	-41.0
TL248	150	333	-38.5
TL248	200	334	-34.0
TL248	201	334	-34.0
TL249	0	360	-45.0
TL249	9	1	-43.5
TL249	50	1	-43.0
TL249	102	360	-41.0
TL249	150	360	-40.0
TL249	201	360	-38.5
TL250	0	320	-48.0
TL250	50	330	-43.0
TL250	100	335	-41.0

Drill Hole	Depth (m)	Az	Dip
TL250	150	339	-41.0
TL250	200	341	-39.0
TL250	250	345	-39.0
TL250	252	345	-39.0
TL251	0	360	-45.0
TL251	9	360	-44.0
TL251	51	358	-41.0
TL251	102	355	-38.0
TL251	150	355	-34.0
TL251	177	355	-34.0
TL252	0	360	-45.0
TL252	9	356	-44.0
TL252	50	359	-42.5
TL252	100	357	-41.0
TL252	126	357	-41.0
TL253	0	343	-48.0
TL253	50	346	-48.5
TL253	100	352	-47.0
TL253	150	353.5	-46.5
TL253	200	355	-45.0
TL253	250	359	-44.0
TL253	282	1	-43.0
TL254	0	360	-45.0
TL254	12	354	-44.5
TL254	50	355	-41.5
TL254	100	354	-36.0
TL254	126	354	-36.0
TL255	0	360	-45.0
TL255	12	357	-44.0
TL255	50	358	-37.5
TL255	100	357	-34.5
TL255	125.3	357	-34.5
TL256	0	360	-45.0
TL256	18	358	-43.0
TL256	50	358	-41.0
TL256	100	357	-38.0
TL256	126	357	-38.0
TL257	0	350	-48.0
TL257	50	1	-45.0
TL257	100	358	-39.0
TL257	200	353	-30.0
TL257	250	352	-26.5
TL257	300	353	-25.0
TL257	350	354	-22.0
TL258	0	360	-45.0
TL258	12	357	-44.5
TL258	50	357	-43.5
TL258	100	356	-41.0

Drill Hole	Depth (m)	Az	Dip
TL258	126	356	-41.0
TL259	0	360	-45.0
TL259	15	358	-44.0
TL259	50	357	-42.0
TL259	100	358	-40.0
TL259	126	358	-40.0
TL260	0	360	-45.0
TL260	12	354	-46.0
TL260	50	355	-44.5
TL260	100	357	-42.5
TL260	122.3	357	-42.0
TL261	0	360	-45.0
TL261	9	353	-43.0
TL261	48	354	-42.0
TL261	99	353	-39.5
TL261	129	354	-38.0
TL262	0	350	-48.0
TL262	6	350	-48.0
TL262	50	350	-47.0
TL262	100	350	-33.0
TL262	150	350	-34.0
TL262	200	350	-34.0
TL262	250	350	-33.0
TL262	300	350	-33.0
TL263	0	360	-45.0
TL263	50	353	-42.0
TL263	100	351	-38.5
TL263	126	352	-37.0
TL264	0	30	-60.0
TL264	9	30	-60.0
TL264	50	31	-58.0
TL264	150	32	-58.0
TL264	200	34	-58.0
TL264	250	35.5	-57.0
TL264	300	37	-55.0
TL264	350	39	-55.0
TL264	400	41	-54.0
TL264	450	45	-53.0
TL264	462	45	-53.0
TL265	0	343	-50.0
TL265	50	346	-47.0
TL265	100	348	-46.0
TL265	150	351	-45.0
TL265	200	351	-42.5
TL265	250	351	-42.0
TL265	300	351	-42.0
TL265	319	351	-42.0
TL266	0	320	-50.0

Drill Hole	Depth (m)	Az	Dip
TL266	6	320	-49.0
TL266	50	320	-46.0
TL266	100	320	-43.0
TL266	150	320	-42.0
TL266	200	320	-39.0
TL266	250	320	-38.0
TL266	300	320	-36.0
TL267	0	320	-50.0
TL267	12	320	-48.5
TL267	50	320	-45.0
TL267	100	320	-43.0
TL267	150	320	-40.0
TL267	200	320	-38.0
TL267	250	320	-36.0
TL267	300	320	-33.0
TL268	0	320	-50.0
TL268	11	321	-49.5
TL268	50	322	-41.0
TL268	100	324	-36.0
TL268	150	327	-32.0
TL268	200	329	-29.0
TL268	250	329	-26.5
TL268	300	330	-26.0
TL269	0	320	-50.0
TL269	6	321	-50.0
TL269	50	325	-45.0
TL269	100	328	-43.5
TL269	150	330	-40.5
TL269	200	332	-39.5
TL269	250	334	-38.0
TL269	295	337	-37.0
TL269	295.6	337	-37.0
TL270	0	320	-50.0
TL270	6	326	-47.0
TL270	50	326	-46.0
TL270	100	327	-45.0
TL270	150	330	-42.0
TL270	177	330	-42.0
TL271	0	320	-50.0
TL271	9	325	-49.0
TL271	50	325	-47.5
TL271	100	327	-46.0
TL271	150	329	-44.0
TL271	210	330	-43.0
TL271	219	330	-43.0
TL272	0	320	-50.0
TL272	10	322	-50.0
TL272	50	324	-47.0

Drill Hole	Depth (m)	Az	Dip
TL272	100	325	-46.0
TL272	150	327	-45.0
TL272	200	333	-44.0
TL272	250	331	-42.5
TL272	300	331	-41.0
TL273	0	360	-60.0
TL273	50	356	-56.0
TL273	102	355	-55.0
TL273	132	357	-55.0
TL274	0	360	-50.0
TL274	10	357	-49.0
TL274	60	359	-48.0
TL275	0	320	-50.0
TL275	6	325	-48.5
TL275	50	328	-44.5
TL275	100	330	-40.5
TL275	102	330	-40.5
TL276	0	320	-50.0
TL276	6	325	-48.5
TL276	50	329	-40.0
TL276	100	331	-36.0
TL276	102	331	-36.0
TL277	0	360	-60.0
TL277	15	1	-59.0
TL277	50	360	-58.0
TL277	100	360	-52.0
TL277	127.8	359	-51.5