

<b>Drill Hole</b>	<b>Depth (m)</b>	<b>Az</b>	<b>Dip</b>
TL0801	0.0	360.0	-45.0
TL0801	26.0	3.7	-44.6
TL0801	29.0	3.6	-44.5
TL0801	32.0	3.6	-44.5
TL0801	60.0	2.7	-43.8
TL0801	92.0	2.3	-43.3
TL0801	122.0	3.6	-43.1
TL0801	152.0	4.2	-42.6
TL0801	181.0	4.7	-41.9
TL0801	200.0	5.8	-42.1
TL0801	239.0	7.0	-41.9
TL0801	266.0	6.4	-41.7
TL0802	0.0	360.0	-45.0
TL0802	14.0	3.4	-43.8
TL0802	30.0	3.5	-43.8
TL0802	81.0	4.4	-43.4
TL0802	132.0	3.3	-42.3
TL0802	157.0	2.8	-41.9
TL0803	0.0	360.0	-45.0
TL0803	9.0	0.6	-44.0
TL0803	65.0	0.6	-44.0
TL0803	110.0	0.6	-41.3
TL0803	161.0	359.7	-40.2
TL0803	211.0	358.4	-38.3
TL0803	247.0	357.4	-37.4
TL0804	0.0	360.0	-45.0
TL0804	14.0	0.7	-44.2
TL0804	52.0	1.0	-43.8
TL0804	110.0	0.5	-41.7
TL0804	152.0	359.9	-40.0
TL0805	0.0	360.0	-45.0
TL0805	17.0	2.9	-43.6
TL0805	68.0	0.6	-41.7
TL0805	119.0	358.5	-39.6
TL0805	170.0	358.1	-39.0
TL0805	220.5	0.1	-38.4
TL0805	244.5	359.8	-38.0
TL0805	268.5	359.8	-38.0
TL0806	0.0	360.0	-45.0
TL0806	11.0	2.4	-45.2
TL0806	62.0	1.2	-44.0
TL0806	113.0	0.2	-42.8
TL0806	153.0	0.2	-41.6
TL0806	197.0	1.6	-40.9
TL0807	0.0	360.0	-45.0
TL0807	14.0	1.9	-44.8
TL0807	65.0	0.5	-43.5
TL0807	116.0	0.7	-42.1

<b>Drill Hole</b>	<b>Depth (m)</b>	<b>Az</b>	<b>Dip</b>
TL0807	167.0	359.9	-40.8
TL0807	218.0	0.9	-39.8
TL0808	0.0	360.0	-45.0
TL0808	11.0	0.9	-46.5
TL0808	62.0	1.9	-45.4
TL0808	113.0	3.0	-44.4
TL0808	164.0	3.3	-42.9
TL0809	0.0	360.0	-45.0
TL0809	17.0	0.6	-45.0
TL0809	68.0	2.1	-44.1
TL0809	119.0	3.0	-43.5
TL0809	164.0	3.4	-42.4
TL0809	221.0	3.0	-40.8
TL0809	245.0	4.0	-40.2
TL0810	0.0	360.0	-45.0
TL0810	17.0	0.3	-42.6
TL0810	68.0	0.1	-42.0
TL0810	119.0	2.4	-40.8
TL0811	0.0	360.0	-45.0
TL0811	17.0	2.8	-44.9
TL0811	68.0	1.1	-44.2
TL0811	119.0	4.1	-42.5
TL0811	149.0	4.1	-40.1
TL0811	170.0	1.8	-40.0
TL0811	221.0	359.1	-37.1
TL0811	244.0	359.4	-36.6
TL0811	267.0	359.4	-36.6
TL0812	0.0	360.0	-45.0
TL0812	29.0	2.8	-44.0
TL0812	77.0	359.5	-41.5
TL0812	128.0	1.0	-40.9
TL0812	182.0	1.0	-38.9
TL0813	0.0	360.0	-45.0
TL0813	80.0	3.0	-43.1
TL0813	131.0	5.7	-41.2
TL0813	151.0	2.8	-40.7
TL0814	0.0	360.0	-45.0
TL0814	29.0		-44.2
TL0814	80.0	0.1	-43.0
TL0814	131.0	358.6	-40.0
TL0814	149.0	358.4	-38.7
TL0815	0.0	360.0	-45.0
TL0815	38.0	359.4	-43.1
TL0815	89.0	358.7	-39.9
TL0815	140.0	357.7	-36.7
TL0816	0.0	360.0	-45.0
TL0816	41.0	3.1	-44.2
TL0816	92.0	2.7	-43.2

<b>Drill Hole</b>	<b>Depth (m)</b>	<b>Az</b>	<b>Dip</b>
TL0816	152.0	1.0	-42.2
TL0817	0.0	360.0	-45.0
TL0817	42.0	1.1	-42.0
TL0817	93.0	1.4	-40.4
TL0817	150.0	0.9	-49.1
TL0818	0.0	360.0	-45.0
TL0818	44.0	0.6	-43.9
TL0818	95.0	0.2	-43.2
TL0819	0.0	360.0	-45.0
TL0819	47.0	3.2	-46.1
TL0819	98.0	3.1	-43.1
TL0819	176.0	4.3	-40.6
TL0820	0.0	360.0	-45.0
TL0820	17.0	1.1	-45.1
TL0820	68.0	3.2	-43.3
TL0820	122.0	4.4	-41.7
TL0820	173.0	6.8	-40.3
TL0820	206.0	6.2	-39.2
TL0821	0.0	360.0	-45.0
TL0821	14.0	3.1	-47.2
TL0821	59.0	4.2	-46.5
TL0821	110.0	6.3	-44.0
TL0821	188.0	5.9	-41.5
TL0821	250.0	6.6	-40.7
TL0822	0.0	360.0	-45.0
TL0822	17.0	2.0	-45.7
TL0822	65.0	1.8	-44.8
TL0822	128.0	2.6	-43.5
TL0822	164.0	3.2	-43.0
TL0822	218.0	3.1	-41.8
TL0822	251.0	3.7	-41.0
TL0823	0.0	180.0	-48.0
TL0823	18.0	178.9	-48.1
TL0823	68.0	182.0	-46.4
TL0823	81.0	182.0	-46.4
TL0823	118.0	180.7	-45.7
TL0823	168.0	179.2	-44.2
TL0823	268.0	177.0	-40.1
TL0823	318.0	174.6	-36.6
TL0823	372.0	173.7	-33.4
TL0823	420.0	171.6	-31.1
TL0823	474.0	171.7	-29.4
TL0823	498.0	171.0	-28.9
TL0824	0.0	0.0	-45.0
TL0824	65.0	1.2	-42.2
TL0824	116.0	2.0	-41.0
TL0824	161.0	359.3	-39.5
TL0824	218.0	359.5	-37.9

<b>Drill Hole</b>	<b>Depth (m)</b>	<b>Az</b>	<b>Dip</b>
TL0824	251.0	359.1	-37.9
TL0825	0.0	360.0	-45.0
TL0825	20.0	2.7	-45.7
TL0825	71.0	1.6	-44.2
TL0825	80.0	1.6	-44.0
TL0826	0.0	360.0	-45.0
TL0826	20.0	358.3	-43.3
TL0826	68.0	358.2	-42.2
TL0826	119.0	358.5	-41.0
TL0826	152.0	358.7	-40.5
TL0826	183.0	0.5	-40.4
TL0827	0.0	360.0	-45.0
TL0827	20.0	0.4	-44.6
TL0827	71.0	1.2	-43.0
TL0827	131.0	1.4	-41.6
TL0828	0.0	360.0	-45.0
TL0828	77.0	1.7	-43.2
TL0828	137.0	1.5	-41.8
TL0828	181.0	4.8	-41.0
TL0829	0.0	360.0	-57.5
TL0829	10.0	0.8	-57.4
TL0829	60.0	0.6	-55.2
TL0829	118.0	0.1	-53.7
TL0829	180.0	359.9	-52.2
TL0829	223.0	359.1	-50.8
TL0829	274.0	359.9	-49.5
TL0829	325.0	359.9	-49.5
TL0829	376.0	358.7	-45.3
TL0829	427.0	357.5	-43.4
TL0829	478.0	357.9	-42.6
TL0830	0.0	360.0	-45.0
TL0830	17.0	0.2	-43.2
TL0830	42.0	0.1	-42.0
TL0830	86.0	359.8	-41.5
TL0831	0.0	360.0	-45.0
TL0831	17.0	3.6	-44.7
TL0831	68.0	0.5	-42.0
TL0831	83.0	0.5	-41.8
TL0832	0.0	360.0	-45.0
TL0832	20.0	1.9	-45.0
TL0832	71.0	1.3	-44.1
TL0832	122.0	2.4	-43.0
TL0832	173.0	2.2	-41.7
TL0832	206.0	2.9	-41.0
TL0833	0.0	360.0	-45.0
TL0833	24.0	0.8	-44.2
TL0833	74.0	1.3	-43.1
TL0833	125.0	0.7	-41.8

<b>Drill Hole</b>	<b>Depth (m)</b>	<b>Az</b>	<b>Dip</b>
TL0833	212.0	0.3	-39.7
TL0834	0.0	360.0	-45.0
TL0834	11.0	5.0	-46.5
TL0834	17.0	3.8	-46.4
TL0834	71.0	4.7	-45.3
TL0834	119.0	4.9	-44.3
TL0835	0.0	360.0	-80.0
TL0835	23.0	357.8	-80.0
TL0835	92.0	1.1	-79.2
TL0835	150.0	3.7	-77.6
TL0835	200.0	6.1	-77.1
TL0835	251.0	7.2	-75.6
TL0835	299.0	7.8	-74.8
TL0835	347.0	7.5	-73.5
TL0835	395.0	7.5	-73.5
TL0835	446.0	5.8	-70.3
TL0835	550.0	4.1	-66.7
TL0835	669.0	2.7	-60.1
TL0835	696.0	2.9	-59.6
TL0835-fail	0.0	360.0	-80.0
TL0835-fail	22.0	3.7	-80.7
TL0835-fail	76.0	4.6	-80.3
TL0835-fail	85.0	10.4	-79.9
TL0836	0.0	360.0	-46.0
TL0836	10.0	359.9	-45.2
TL0836	59.0	358.9	-44.6
TL0836	109.0	357.1	-43.7
TL0836	212.0	1.4	-41.5
TL0836	251.0	1.4	-40.5
TL0837	0.0	360.0	-45.0
TL0837	6.0	3.3	-43.2
TL0837	65.0	4.3	-44.5
TL0837	167.0	3.1	-40.0
TL0838	0.0	360.0	-60.0
TL0838	10.0	2.1	-59.7
TL0838	71.0	2.5	-57.6
TL0838	100.0	2.8	-56.8
TL0838	152.0	3.1	-55.4
TL0839	0.0	360.0	-60.0
TL0839	11.0	1.8	-62.8
TL0839	62.0	2.1	-61.7
TL0839	113.0	2.2	-60.0
TL0839	167.0	2.3	-58.2
TL0839	218.0	2.7	-58.2
TL0839	284.0	3.0	-56.3
TL0840	0.0	360.0	-60.0
TL0840	12.0	1.7	-61.1
TL0840	63.0	1.6	-60.1

<b>Drill Hole</b>	<b>Depth (m)</b>	<b>Az</b>	<b>Dip</b>
TL0840	120.0	2.9	-58.3
TL0840	171.0	3.1	-57.4
TL0840	270.0	3.4	-55.1
TL0841	0.0	360.0	-60.0
TL0841	23.0	357.2	-57.3
TL0841	74.0	0.4	-57.1
TL0841	125.0	1.6	-55.7
TL0841	173.0	356.7	-48.9
TL0841	221.0	359.4	-48.1
TL0842	0.0	360.0	-60.0
TL0842	17.0	1.8	-58.1
TL0842	75.0	3.6	-57.9
TL0842	126.0	3.9	-57.7
TL0842	177.0	4.1	-57.6
TL0842	225.0	4.2	-57.4
TL0842	258.0	4.6	-57.0
TL0843	0.0	180.0	-45.0
TL0843	22.0	179.3	-45.6
TL0843	73.0	180.4	-44.7
TL0843	136.0	176.1	-41.6
TL0844	0.0	180.0	-45.0
TL0844	22.0	178.0	-45.1
TL0844	73.0	179.6	-44.0
TL0844	124.0	181.4	-43.1
TL0844	166.0	182.6	-42.1
TL0845	0.0	180.0	-47.0
TL0845	22.0	178.6	-45.6
TL0845	69.0	176.4	-44.9
TL0845	112.0	177.3	-43.9
TL0845	175.0	178.9	-43.6
TL0845	220.0	181.6	-42.9
TL0846	0.0	180.0	-45.0
TL0846	25.0	178.4	-44.9
TL0846	76.0	181.1	-44.6
TL0846	127.0	182.9	-43.2
TL0847	0.0	180.0	-45.0
TL0847	22.0	177.8	-46.1
TL0847	72.0	180.6	-45.1
TL0847	123.0	177.9	-43.9
TL0847	174.0	177.2	-43.0
TL0847	225.0	177.0	-42.9
TL0847	276.0	178.2	-42.7
TL0847	333.0	178.2	-43.2
TL0848	0.0	180.0	-45.0
TL0848	30.0	178.9	-44.8
TL0848	81.0	177.8	-43.9
TL0848	132.0	178.7	-43.6
TL0848	183.0	183.0	-42.1

<b>Drill Hole</b>	<b>Depth (m)</b>	<b>Az</b>	<b>Dip</b>
TL0848	222.0	180.7	-41.7
TL0849	0.0	180.0	-45.0
TL0849	18.0	177.8	-44.9
TL0849	69.0	177.9	-44.1
TL0849	120.0	178.6	-43.9
TL0849	171.0	179.5	-43.7
TL0849	225.0	178.7	-42.1
TL0849	276.0	179.2	-41.2
TL0849	333.0	180.1	-40.2
TL0850	0.0	180.0	-45.0
TL0850	21.0	178.2	-47.4
TL0850	72.0	179.2	-44.8
TL0850	121.0	179.6	-41.8
TL0851	0.0	360.0	-60.0
TL0851	15.0	2.0	-61.2
TL0851	65.0	2.2	-60.8
TL0851	120.0	3.1	-56.7
TL0851	171.0	3.2	-56.3
TL0851	222.0	3.4	-57.4
TL0852	0.0	360.0	-60.0
TL0852	15.0	359.3	-61.9
TL0852	66.0	1.1	-61.2
TL0852	116.0	1.4	-60.9
TL0852	167.0	1.4	-61.1
TL0852	219.0	359.1	-57.5
TL0852	269.0	359.4	-57.1
TL0852	327.0	357.7	-54.1
TL0852	381.0	357.1	-52.5
TL0852	423.0	358.4	-51.7
TL0853	0.0	360.0	-60.0
TL0853	14.0	359.7	-60.4
TL0853	77.0	0.0	-59.8
TL0853	128.0	0.2	-58.2
TL0853	179.0	359.6	-57.1
TL0853	239.0	359.2	-55.5
TL0854	0.0	360.0	-60.0
TL0854	29.0	356.5	-62.0
TL0854	80.0	357.6	-60.3
TL0854	130.0	358.1	-59.8
TL0854	182.0	357.9	-59.6
TL0854	234.0	359.2	-57.3
TL0854	285.0	357.6	-55.8
TL0854	320.0	355.4	-52.1
TL0855	0.0	360.0	-60.0
TL0855	15.0	2.2	-62.7
TL0855	66.0	3.7	-60.8
TL0855	117.0	3.9	-60.1
TL0855	168.0	4.2	-59.7

<b>Drill Hole</b>	<b>Depth (m)</b>	<b>Az</b>	<b>Dip</b>
TL0855	219.0	3.4	-58.2
TL0855	271.0	3.1	-56.2
TL0855	321.0	3.0	-56.5
TL0855	372.0	2.0	-55.1
TL0855	423.0	1.9	-54.7
TL0855	474.0	1.4	-53.8
TL0855	501.0	1.2	-52.9