

Drill Hole	Depth (m)	Az	Dip
TL43W1	0	360	-75.0
TL43W1	12	351	-73.0
TL43W1	50	358	-72.0
TL43W1	100	357	-71.0
TL43W1	150	358	-70.0
TL43W1	200	2	-68.0
TL43W1	250	2	-67.0
TL43W1	350	2	-65.0
TL43W1	400	2.5	-64.0
TL43W1	418	4.5	-64.0
TL43W1	428	7	-64.0
TL43W1	458	7	-62.0
TL43W2	0	360	-75.0
TL43W2	12	351	-73.0
TL43W2	50	358	-72.0
TL43W2	100	357	-71.0
TL43W2	150	358	-70.0
TL43W2	200	2	-68.0
TL43W2	250	2	-67.0
TL43W2	350	2	-65.0
TL43W2	400	2.5	-64.0
TL43W2	416	359	-63.0
TL43W2	457.9	359	-63.0
TL43W3	0	360	-75.0
TL43W3	12	351	-73.0
TL43W3	50	358	-72.0
TL43W3	100	357	-71.0
TL43W3	150	358	-70.0
TL43W3	200	2	-68.0
TL43W3	250	2	-67.0
TL43W3	350	2	-65.0
TL43W3	400	2.5	-64.0
TL43W3	405	3	-62.0
TL43W3	459	6	-57.5
TL44W1	0	360	-82.0
TL44W1	52	6	-81.0
TL44W1	88	7	-79.5
TL44W1	130	8	-77.5
TL44W1	170	8	-77.0
TL44W1	206	8	-76.5
TL44W1	242	8	-76.5
TL44W1	278	10	-75.0
TL44W1	314	10	-73.5
TL44W1	350	9	-73.0
TL44W1	386	9	-72.0
TL44W1	422	6	-70.5
TL44W1	458	7	-67.0
TL44W1	498	5	-65.0

Drill Hole	Depth (m)	Az	Dip
TL44W1	526	3.5	-63.0
TL44W1	542	5	-60.0
TL44W1	571.1	4	-56.0
TL44W2	0	360	-82.0
TL44W2	52	6	-81.0
TL44W2	88	7	-79.5
TL44W2	130	8	-77.5
TL44W2	170	8	-77.0
TL44W2	206	8	-76.5
TL44W2	242	8	-76.5
TL44W2	278	10	-75.0
TL44W2	314	10	-73.5
TL44W2	350	9	-73.0
TL44W2	386	9	-72.0
TL44W2	422	6	-70.5
TL44W2	458	7	-67.0
TL44W2	498	5	-65.0
TL44W2	516.8	4	-64.0
TL44W2	519	3.5	-63.0
TL44W2	536	3	-61.0
TL44W2	568.9	2	-67.5
TL44W3	0	360	-82.0
TL44W3	52	6	-81.0
TL44W3	88	7	-79.5
TL44W3	130	8	-77.5
TL44W3	170	8	-77.0
TL44W3	206	8	-76.5
TL44W3	242	8	-76.5
TL44W3	278	10	-75.0
TL44W3	314	10	-73.5
TL44W3	350	9	-73.0
TL44W3	386	9	-72.0
TL44W3	422	6	-70.5
TL44W3	458	7	-67.0
TL44W3	498	5	-65.0
TL44W3	505.2	4.5	-64.7
TL44W3	518	3	-62.0
TL44W3	572	3	-55.5
TL88W	0	360	-65.0
TL88W	32	356	-65.0
TL88W	74	353	-64.0
TL88W	92	354.5	-65.0
TL88W	101	39	-63.5
TL88W	143	22	-62.0
TL88W	185	355	-59.5
TL88W	192	355	-59.5
TL96W	0	360	-68.0
TL96W	35	357	-65.0

Drill Hole	Depth (m)	Az	Dip
TL96W	77	356	-63.0
TL96W	122	357	-62.0
TL96W	164	357	-61.5
TL96W	206	357	-59.0
TL96W	248	357	-57.0
TL96W	255	357	-57.0
TL96W	263	2	-56.5
TL96W	281	1	-54.5
TL96W	299	360	-55.0
TL96W	317	360	-53.5
TL96W	341	360	-52.5
TL96W	371	1	-52.0
TL96W	401	360	-50.5
TL96W	405	360	-50.5
TL125W1	0	360	-68.0
TL125W1	31	358	-66.0
TL125W1	70	1	-63.0
TL125W1	121	2	-59.0
TL125W1	169	359.5	-53.0
TL125W1	217	357	-48.0
TL125W1	271	357	-45.0
TL125W1	319	356	-42.0
TL125W1	370	356	-38.0
TL125W1	383	355	-36.7
TL125W1	398	354	-34.5
TL125W1	437	355	-30.0
TL125W2	0	360	-68.0
TL125W2	31	358	-66.0
TL125W2	70	1	-63.0
TL125W2	121	2	-59.0
TL125W2	169	359.5	-53.0
TL125W2	217	357	-48.0
TL125W2	271	357	-45.0
TL125W2	319	356	-42.0
TL125W2	334.2	356	-40.8
TL125W2	344	353	-38.0
TL125W2	389	352	-31.0
TL125W2	437	353	-26.0
TL126W1	0	360	-80.0
TL126W1	31	357	-80.0
TL126W1	79	359	-75.0
TL126W1	130	0.5	-75.0
TL126W1	142	2	-74.0
TL126W1	190	2	-70.0
TL126W1	239	1	-70.0
TL126W1	289	360	-67.0
TL126W1	340	358	-63.0
TL126W1	389	357	-58.0

Drill Hole	Depth (m)	Az	Dip
TL126W1	439	357	-56.0
TL126W1	472	357	-55.5
TL126W1	482	359	-53.5
TL126W1	500	360	-52.0
TL126W2	0	360	-80.0
TL126W2	31	357	-80.0
TL126W2	79	359	-75.0
TL126W2	130	0.5	-75.0
TL126W2	142	2	-74.0
TL126W2	190	2	-70.0
TL126W2	239	1	-70.0
TL126W2	289	360	-67.0
TL126W2	340	358	-63.0
TL126W2	389	357	-58.0
TL126W2	439	357	-56.0
TL126W2	453.9	357	-55.5
TL126W2	464	28	-52.5
TL126W2	503	353	-45.5
TL126W3	0	360	-80.0
TL126W3	31	357	-80.0
TL126W3	79	359	-75.0
TL126W3	130	0.5	-75.0
TL126W3	142	2	-74.0
TL126W3	190	2	-70.0
TL126W3	239	1	-70.0
TL126W3	289	360	-67.0
TL126W3	340	358	-63.0
TL126W3	389	357	-58.0
TL126W3	439	357	-56.0
TL126W3	440.6	357	-56.0
TL126W3	455	353	-53.0
TL126W3	503	356	-42.5
TL127W1	0	360	-80.0
TL127W1	31	352	-79.0
TL127W1	79	352	-79.0
TL127W1	131	351	-79.0
TL127W1	179	351	-75.0
TL127W1	229	350	-75.0
TL127W1	283	352	-73.0
TL127W1	331	352	-73.0
TL127W1	379	354	-71.0
TL127W1	430	355	-71.0
TL127W1	468.2	356	-70.0
TL127W1	476	348	-65.0
TL127W1	521	352	-62.0
TL127W2	0	360	-80.0
TL127W2	31	352	-79.0
TL127W2	79	352	-79.0

Drill Hole	Depth (m)	Az	Dip
TL127W2	131	351	-79.0
TL127W2	179	351	-75.0
TL127W2	229	350	-75.0
TL127W2	283	352	-73.0
TL127W2	331	352	-73.0
TL127W2	379	354	-71.0
TL127W2	430	355	-71.0
TL127W2	457	355.5	-70.5
TL127W2	467	360	-72.0
TL127W2	521	360	-66.5
TL127W3	0	360	-80.0
TL127W3	31	352	-79.0
TL127W3	79	352	-79.0
TL127W3	131	351	-79.0
TL127W3	179	351	-75.0
TL127W3	229	350	-75.0
TL127W3	283	352	-73.0
TL127W3	331	352	-73.0
TL127W3	379	354	-71.0
TL127W3	430	355	-71.0
TL127W3	445	355.5	-70.5
TL127W3	455	355	-68.0
TL127W3	521	353	-54.0
TL128W1	0	360	-81.0
TL128W1	18	355	-80.0
TL128W1	50	359	-78.5
TL128W1	100	1	-77.0
TL128W1	150	3	-76.0
TL128W1	200	1	-75.5
TL128W1	250	3	-75.0
TL128W1	300	4	-75.0
TL128W1	350	4	-75.0
TL128W1	381.7	4	-73.5
TL128W1	395	9	-73.0
TL128W1	421	7	-71.0
TL128W1	421.7	7	-71.0
TL128W2	0	360	-81.0
TL128W2	18	355	-80.0
TL128W2	50	359	-78.5
TL128W2	100	1	-77.0
TL128W2	150	3	-76.0
TL128W2	200	1	-75.5
TL128W2	250	3	-75.0
TL128W2	300	4	-75.0
TL128W2	350	4	-75.0
TL128W2	369.2	4	-74.0
TL128W2	395	2	-70.0
TL128W2	425	360	-67.0

Drill Hole	Depth (m)	Az	Dip
TL128W3	0	360	-81.0
TL128W3	18	355	-80.0
TL128W3	50	359	-78.5
TL128W3	100	1	-77.0
TL128W3	150	3	-76.0
TL128W3	200	1	-75.5
TL128W3	250	3	-75.0
TL128W3	300	4	-75.0
TL128W3	350	4	-75.0
TL128W3	357.8	4	-75.0
TL128W3	395	4	-70.0
TL128W3	422	4	-70.0
TL129W1	0	360	-87.0
TL129W1	49	357	-85.0
TL129W1	101	354	-85.0
TL129W1	151	359	-83.0
TL129W1	197	2	-82.0
TL129W1	249	2	-81.0
TL129W1	301	4	-78.0
TL129W1	349	3	-77.0
TL129W1	398	2	-76.0
TL129W1	429.8	3	-75.0
TL129W1	446	9	-73.5
TL129W1	478	10	-71.5
TL129W1	479	10	-71.5
TL129W2	0	360	-87.0
TL129W2	49	357	-85.0
TL129W2	101	354	-85.0
TL129W2	151	359	-83.0
TL129W2	197	2	-82.0
TL129W2	249	2	-81.0
TL129W2	301	4	-78.0
TL129W2	349	3	-77.0
TL129W2	398	2	-76.0
TL129W2	418.1	2	-75.5
TL129W2	443	2	-74.2
TL129W2	479	358	-73.3
TL129W3	0	360	-87.0
TL129W3	49	357	-85.0
TL129W3	101	354	-85.0
TL129W3	151	359	-83.0
TL129W3	197	2	-82.0
TL129W3	249	2	-81.0
TL129W3	301	4	-78.0
TL129W3	349	3	-77.0
TL129W3	398	2	-76.0
TL129W3	405.8	2	-76.0
TL129W3	443	5	-70.0

Drill Hole	Depth (m)	Az	Dip
TL129W3	477	7	-69.0
TL129W3	479	7	-69.0
TL133W1	0	360	-85.0
TL133W1	30	7	-81.5
TL133W1	60	7	-80.5
TL133W1	90	8	-79.5
TL133W1	150	11	-78.0
TL133W1	200	14	-76.0
TL133W1	250	15	-75.5
TL133W1	300	16	-74.5
TL133W1	350	14	-72.5
TL133W1	400	13	-71.5
TL133W1	450	11	-68.5
TL133W1	500	7	-67.0
TL133W1	550	10	-66.0
TL133W1	600	6.5	-64.0
TL133W1	609.1	6.2	-63.5
TL133W1	620	10	-63.0
TL133W1	649.9	8	-59.0
TL133W2	0	360	-85.0
TL133W2	30	7	-81.5
TL133W2	60	7	-80.5
TL133W2	90	8	-79.5
TL133W2	150	11	-78.0
TL133W2	200	14	-76.0
TL133W2	250	15	-75.5
TL133W2	300	16	-74.5
TL133W2	350	14	-72.5
TL133W2	400	13	-71.5
TL133W2	450	11	-68.5
TL133W2	500	7	-67.0
TL133W2	550	10	-66.0
TL133W2	596.9	6.5	-64.0
TL133W2	614	4	-65.0
TL133W2	649.6	2	-62.0
TL133W3	0	360	-85.0
TL133W3	30	7	-81.5
TL133W3	60	7	-80.5
TL133W3	90	8	-79.5
TL133W3	150	11	-78.0
TL133W3	200	14	-76.0
TL133W3	250	15	-75.5
TL133W3	300	16	-74.5
TL133W3	350	14	-72.5
TL133W3	400	13	-71.5
TL133W3	450	11	-68.5
TL133W3	500	7	-67.0
TL133W3	550	10	-66.0

Drill Hole	Depth (m)	Az	Dip
TL133W3	578.7	8	-65.0
TL133W3	593	7	-62.0
TL133W3	653	7	-58.0
TL136W1	0	360	-83.0
TL136W1	20	357	-83.0
TL136W1	50	357	-82.0
TL136W1	101	355	-81.5
TL136W1	152	357	-80.5
TL136W1	200	358	-80.0
TL136W1	254	357	-78.5
TL136W1	302	358	-74.5
TL136W1	353	357	-70.0
TL136W1	401	354	-67.0
TL136W1	452	353	-60.0
TL136W1	500	353	-56.0
TL136W1	528.2	352	-54.5
TL136W1	560	354	-48.0
TL136W1	590	351	-45.5
TL136W2	0	360	-83.0
TL136W2	20	357	-83.0
TL136W2	50	357	-82.0
TL136W2	101	355	-81.5
TL136W2	152	357	-80.5
TL136W2	200	358	-80.0
TL136W2	254	357	-78.5
TL136W2	302	358	-74.5
TL136W2	353	357	-70.0
TL136W2	401	354	-67.0
TL136W2	452	353	-60.0
TL136W2	500	353	-56.0
TL136W2	516	352.5	-55.0
TL136W2	554	347	-48.0
TL136W2	590	345	-44.0
TL137W1	0	360	-90.0
TL137W1	23	337	-89.0
TL137W1	50	87	-89.0
TL137W1	101	67	-88.0
TL137W1	149	67	-86.0
TL137W1	197	57	-85.0
TL137W1	203	37	-86.5
TL137W1	218	37	-86.0
TL137W1	251	37	-86.0
TL137W1	299	31	-86.0
TL137W1	350	31	-86.0
TL137W1	401	29	-84.0
TL137W1	450	32	-83.5
TL137W1	500	22	-82.0
TL137W1	551	22	-80.5

Drill Hole	Depth (m)	Az	Dip
TL137W1	601	18	-78.0
TL137W1	650	13	-77.5
TL137W1	695.4	14	-75.5
TL137W1	725	25	-75.5
TL137W1	755	23	-75.0
TL137W2	0	360	-90.0
TL137W2	23	337	-89.0
TL137W2	50	87	-89.0
TL137W2	101	67	-88.0
TL137W2	149	67	-86.0
TL137W2	197	57	-85.0
TL137W2	203	37	-86.5
TL137W2	218	37	-86.0
TL137W2	251	37	-86.0
TL137W2	299	31	-86.0
TL137W2	350	31	-85.0
TL137W2	401	29	-84.0
TL137W2	450	32	-83.5
TL137W2	500	22	-82.0
TL137W2	551	22	-80.5
TL137W2	601	18	-78.0
TL137W2	650	13	-77.5
TL137W2	683	13.5	-76.5
TL137W2	725	8	-71.5
TL137W2	755	10	-73.0
TL170W1	0	360	-68.0
TL170W1	14	358	-66.5
TL170W1	64	355	-61.0
TL170W1	113	358	-60.5
TL170W1	164	359	-59.5
TL170W1	214	359	-59.0
TL170W1	264	357	-58.5
TL170W1	314	355	-58.0
TL170W1	364	358	-56.5
TL170W1	414	358	-56.0
TL170W1	440	358	-53.0
TL170W1	460	358	-52.0